Molecular and Cellular Endocrinology, 91 (1993) 219–223
© 1993 Elsevier Scientific Publishers Ireland, Ltd. 0303-7207/93/$06.00

Key Word Index to Volumes 83–90 (1993)

Acidic epididymal glycoprotein, (89) 25
Acromegaly, (85) 157
ACTH, (89) 39
Actin, (86) 119
β-Actin, (87) R7
Activin, (83) 105
Activin-binding protein, (90) 1
Activin receptor, (83) R1
Adenohypophyseal mRNA, (84) 55
Adenohypophysis, (85) C45
Adenylate cyclase, (83) 201, (85) 53, (86) 213
Adenylate cyclase (ovine), (88) 111
Adenylyl cyclase, (85) 195, (90) 203
Adipocyte, (84) 65, (85) 13, (85) 73
Adipose tissue metabolism, (85) 13
Adrenal, (83) 29, (87) R1
Adrenal glomerulosa, (90) 53
α_1-Adrenergic agonist, (90) 87
β-Adrenergic agonist, (87) 29
α-Adrenergic receptor, (84) 33
α-Adrenergic receptor blocker, (88) 129
Adrenoceptor, (86) 73
Adrenocortical cell, (89) 19
Adrenocorticotropin, (87) 35
AF-DX-116, (90) 87
Albumin, (83) 85, (85) 165
Alcohol dehydrogenase, (86) 187
Aldosterone, (83) 57, (90) 53, (90) C5
Aldosterone secretion, (86) 93
Alkylation, (85) 53
Allatostatin, (89) 121
Alpha subunit, (85) 41
Alternative promoter, (83) R9
Alternative splicing, (83) 21, (84) 127, (90) 171
Amino acid sequence, (85) 127, (85) 141
Amylin, (84) R1
Androgen, (84) 145, (86) 111, (88) 153, (89) 67, (89) 153, (90) 219
Androgen action, (87) R25
Androgen and estrogen antagonism, (86) 187
Androgen-binding protein, (89) 33
Androgen metabolism, (87) R25
Androgen receptor, (88) 15, (88) 77, (88) 153, (88) 165, (90) 219, (90) R11
Androgen-regulated protein, (83) 219
Anestrus, (85) 205
Angiogenesis, (84) 47
Angiotensin II, (83) 57, (86) 93, (90) 53
Angiotensin II receptor subtype, (90) 53
Anion exchange, (90) 95
Antagonistic activity, (85) 227
Anterior pituitary, ovine, (87) 35
Antibody, (85) 21
Antibody, polyclonal, (86) 57
Anti-estrogen, (90) 77
Anti-peptide antibody, (85) 89, (87) 9
Anti-T_3 receptor antibody, (84) 159
Apoptosis, (84) C19
Apotransferrin, (83) 239
Arachidonic acid, (83) 173, (84) 155
Arginine, (84) R1
Arginine vasopressin, (87) 35
Aromatase cytochrome *P*-450, (85) 205
Arrestin, (84) R39
Aspartate aminotransferase, (90) 27
Atlantic salmon, (84) 167
Atopy, (83) C9
ATP, (88) 129
Atresia, (84) C19
Atrial natriuretic peptide, (89) 39
Atrial peptide hormone, (90) 47
Autoantibody, (88) 89
Autocrine regulation, (85) 65
Autocrine system, (89) 59
Autoinduction, (87) 105
Autoradiography, (85) 157
Autoregulation, (83) C1

Baculovirus, (83) 117
Basic fibroblast growth factor, (88) 39, (89) 163
Benzodiazepine, (87) R1
Benzodiazepine receptors, (88) 1
Binding inhibitor, (87) 115
Binding protein, (88) C1
Biosynthesis, (84) 119, (89) 111, (89) 127
Biphasic dose–response curve, (90) C1
Bombesin, (85) 215
Bone, (90) 197
Breast cancer, (83) 85, (85) 83, (85) 165, (90) 77
Breast cancer cell, (85) 215
Brown adipocyte, (86) 73
Brown adipose tissue, (89) 11

Ca^{2+}-ATPase mRNA, (90) 125
Calbindin, (86) 119
Calbindin-D_{28k}, (83) 143, (86) 83
Calbindin-D_{9k}, (88) 119
Calcitonin, (85) 65
Calcitonin gene-related peptide [8–37], (84) R1
Calcitonin secretion, (86) 213
Calcium, (83) 79, (84) 137, (84) 227, (86) 137, (87) 29, (87) 49, (87) 157, (88) 129, (89) 111, (90) 197
Calcium antagonist, (84) 227
Calcium channel, (90) 231
Calcium, extracellular, (90) 165
Calcium flux, (86) 21
Calcium imaging, (86) 167
Calcium ionophore, (85) 237
Calcium uptake, (84) 15
Calmodulin, (84) 227
Calmodulin binding, (84) 15
Ca mobilization, (83) 173
Carbachol, (86) 93
Carbohydrate epitope, (86) 57
Carboxypeptidase H, (86) 221
Cardiac muscle, (87) 87
Casein secretion, (84) 155
Castration, (89) 67
C-cell, (86) 213
cdc2, (87) 179
Cell culture, (84) 109, (86) 73, (87) 105, (87) R11, (88) 97
Cell differentiation, (88) 47
Cell growth, (86) 11
Cell growth, pituitary tumor cell, (83) 239
Cell line, (84) 203
Cell-plating density, (90) 157
Cell proliferation, (83) 73, (90) 231
Cell receptor, (89) 33
Cell-specific gene expression, (89) 153
Characterization, (84) 1
Chemotactic activity, (84) 47
Chinese hamster ovary cells, (83) 153
Chloramphenicol acetyltransferase assay, (84) 209
Chloramphenicol acetyl transferase, (87) 147
Chloride channel, (88) 105
Chloride flux, (90) C11
CHO cell, (86) 37, (87) 147
Cholesterol side-chain cleavage enzyme, (87) 57
Choriocarcinoma cell line (JAR), (87) 139
Chorionic gonadotrophin hormone, (85) 65, (86) C1
Chromogranin A, (88) 97
^{125}I-d(CH_2)$_5$[Tyr(Me)^2,Thr^4,Tyr-NH_2^9]-OVT binding, (86) 193
Citrate, (90) 27
C-kinase, (86) 157
Clonidine, (84) 33
Clusterin, (89) 127
Collagenase inhibitor, (83) 65
Collecting ducts, (86) 193
Colon rat, (85) 21
Confocal microscopy, (87) R1
Conformation, (85) 227
Corpora allata, (84) 227, (89) 121
Corpuscles of Stannius, (90) 179
Corpus luteum, (85) 33, (85) 195, (87) 115, (89) R5
Cortex, (83) 29
Cortisol, (83) C13
Cortisone, (83) C13
Cross-talk, (90) 87

C-terminus, (86) 221
Cyclic AMP, (84) 15, (84) 195, (85) 65, (85) 175, (86) 29, (87) 69, (87) 79, (88) 105, (88) R1, (89) 97, (89) 121, (90) 53, (90) 141, (90) 231
Cyclic AMP-dependent protein kinase, (83) 11, (85) 195, (90) 187
Cyclic AMP induction, (89) 141
Cyclic GMP, (89) 39, (89) 121, (90) R1
Cyclic nucleotide, (90) 47
Cytochrome oxidase, (86) 143
Cytochrome $P\text{-}450_{scc}$, (87) 57
Cytokine, (87) R19
Cytoplasmic Ca^{2+}, (83) 211
Cytosolic calcium, (86) 167, (86) 213

Deletion, (84) R23
Desensitization, (83) C1
Desmolase, (84) 195
Development, (84) 55
Developmental regulation, (89) 105
Dexamethasone, (83) 183
Diabetes mellitus, (86) 149
Diabetes mellitus, experimental, (86) 67
Diacylglycerol, (83) 57, (86) 93
Dibutyryl-cylic AMP, (88) 153
Diferric transferrin, (83) 239
Differential screening, (83) 65
Dihydrotestosterone, (88) 67, (90) 219
5α-Dihydrotestosterone, (88) 15
1,25-Dihydroxycholecalciferol, (86) 21
1,25-Dihydroxyvitamin D_3, (83) C9, (84) 15, (84) 99, (90) 197, (90) 231
Direct repeats, (83) 21
cDNA, (89) 47
DNA-binding domain, (90) R11
DNA binding domain protein, (84) 209
DNA-binding protein, (90) 17
cDNA cloning, (90) R17
cDNA isolation, (89) 105
cDNA library, (83) 65
cDNA sequence, (87) R19
cDNA sequencing, (90) 7
DNA synthesis, (89) 97
Down-regulation, (83) C1
Dynorphin, (88) 67

Early gene, (90) R17
Ecdysteroid, (83) 11, (90) 187
Electrical activity, (90) 117
Elongate spermatid, (83) 219
Embryo, (90) 69
Endocrine system, (88) 1
Endometrium, (84) 203, (87) R11, (90) R17
Endonucleasis, (84) C19
Endothelin-1, (84) 203, (89) 1
Enhanced chemiluminescence, (84) 175
Enhancer, (88) 31
Entero-insular axis, (85) C39
Enzyme, (83) C13
Enzyme-linked immunosorbent assay, (85) 89
Enzyme superfamily, (84) C25
Epidermal growth factor, (84) 109, (84) 119, (84) 195, (88) 135
Epidermal growth factor receptor, (83) 183
Epididymal function, (87) R25
Epididymis, (89) 67
Epinephrine, (85) 73
Epitope, (85) 41
Estradiol, (83) 85, (84) 23, (84) 55, (84) 109, (87) 95, (88) 97
17β-Estradiol, (90) 133
Estradiol 17β-dehydrogenase, (85) 165
Estradiol 17β-hydroxysteroid dehydrogenase, (83) 85
Estradiol receptor, (90) 133
Estrogen, (84) 175, (85) 13, (85) 165, (86) 119, (87) R11, (88) 67, (90) 77, (90) 171, (90) C15, (90) R17
Estrogen induction, (87) 179
Estrogen receptor, (85) 83, (90) 77
Estrogen regulation, (86) 1
Estrone, (83) 85
Estrous cycle, (86) 119
Expression, (84) 1, (89) 105

Fast skeletal muscle, (90) 125
Feeder, (84) R15
Fertilization, in vitro, (88) 135, (90) 157
Fetus, (89) 47
Fibroblast growth factor, (84) 109, (84) R15
Filamentous staining, (86) 83
Fish, (85) 175, (87) R7
Follicle, (90) 39
Follicle-stimulating hormone, (85) 99, (86) C1, (88) 67, (88) 153, (89) R1
Follicle-stimulating hormone-β, human, (85) 89
Follicle-stimulating hormone binding, stabilization, (87) 49
Follicle-stimulating hormone receptor mRNA, (84) R45, (88) 55, (89) 141
Follicle-stimulating hormone-responsive, (89) 141
Follicular development, (84) R7
Folliculo-stellatae cells, (85) 1
Follitropin, (85) 41
Follitropin receptor, (87) 9
Fos, (87) 179
FRTL5 cell, (86) 11
Functional expression, (86) 37
Fura-2, (86) 167, (89) 79
Fusion protein, (85) 21

Ganglioside GM3, (88) 47
Gastric inhibitory peptide, (90) 117
G-binding protein, (85) 109
Gel retardation, (88) 175
Gel retardation assay, (84) 209
Gene amplification, (83) 117
Gene assembly, (83) 195
Gene expression, (84) 39, (84) 89, (86) R1, (88) 119, (89) 19, (89) 67, (89) R5, (90) 33, (90) R23
Gene expression, c-*erbA*, (84) 219
Generalized resistance to thyroid hormone, (84) 159
Gene regulation, (87) R11, (90) R17
Gene structure, (88) 55
Genetics, (87) R25
Genistein, (83) 51
Germ cell, (83) R1, (84) 79, (89) 127
Germ cell depletion, (83) 219
$G_{s\alpha}$ protein, (87) 125
GH_4C_1 cell, (87) 29
GH3 cell, (87) 1
Glomerulosa cell, (86) 93
Glucagon-like peptide-1, (85) C39
Glucocorticoid, (84) 39, (84) 65, (90) 141, (90) 203
Glucocorticoid physiology, (90) C1
Glucocorticoid receptor, (90) R11
Glucocorticoid receptor (human), (83) 153
Glucose, (84) R1
Glucose transport, (87) 131
β-Glucuronidase, (86) 187
Glutamine synthetase, (83) 117
Glycerol phosphate shuttle, (83) 95
Glycoprotein hormone, (83) 195, (89) 153
Glycosylation, (85) 227, (89) 111
Gonadotropes, (87) 95
Gonadotropin, (85) 127, (85) 175, (85) 183, (86) C1, (86) 205, (88) 143, (90) 17
Gonadotropin β-subunit mutant, (90) 211
Gonadotropin receptors, (87) R25
Gonadotropin-releasing hormone, (84) 137, (84) 167, (84) C33, (85) 175, (86) 1, (86) 167, (87) 95, (89) 111
Gonadotropin-releasing hormone-associated peptide, (84) 167
Gonadotropin-releasing hormone receptor, (85) 109, (90) R5
G protein, (85) 53, (86) 213, (90) 203
G protein-coupled receptor, (90) R5
Granular convoluted tubule, (89) 25
Granulosa cell, (83) 73, (83) 173, (84) 47, (84) 137, (84) R7, (87) 115, (88) 47, (89) 97, (90) 17, (90) 39
Granulosa-lutein cell, (90) 157
Growth factor, (84) R15, (85) 165, (87) R25
Growth hormone, (83) 39, (87) 1, (87) R7
Growth hormone- and growth hormone/prolactin-secreting (human pituitary) tumors, (87) 125
Growth hormone receptor, (83) 133, (86) 37, (89) 47, (89) 91, (90) 103
Growth hormone releasing factor, (83) 73
GSP oncogene, (87) 125

Harderian gland frog, (84) R51
HC11 cells, (87) 147
Heat shock 90, (84) 175
α-Hemoglobin, (84) R27
Heparin binding, (84) R15
Hepatocyte, (84) 119
HEp-2 larynx carcinoma, (86) 111
Hereditary rickets, (90) 197
β-Hexosaminidase, (90) 147
Hexose transport, (83) 95
High-performance liquid chromatography, (86) 177
Homeostasis, (90) C1
Hormone binding, (87) 9
Hormone release, (84) C33
Hormonogenic site, (88) 89
HSP90, (88) 165
[^{3}H]Thymidine incorporation, (87) 179
Human androgen receptor fusion protein, (84) 1
[^{3}H]Uridine incorporation, (84) R51
Hybridization, in situ, (84) R45, (89) 153, (90) 179
12-Hydroxyeicosatetraenoic acid (12-HETE), (83) 57

11β-Hydroxysteroid dehydrogenase, (84) C25
Hyperosmolarity, (83) 79
Hypothyroidism, (84) 55

Immunocytochemistry, (84) 175, (85) 1, (87) 179, (90) 179
Immunology, (87) R25
Incretin, (85) C39
Inhibin, (83) 105, (83) 125, (87) 167
Inhibin α-subunit, (83) 105
Inhibition by 2,3,7,8-tetrachlorodibenzo-*p*-dioxin, (87) 19
Inositol, (83) 29
Inositol lipid, (85) 215
Inositol phosphate, (89) 79, (90) 53
Insulin, (84) 39, (84) 109, (84) 219, (84) R1
Insulin action, (86) 111
Insulin gene expression, (85) C39
Insulin-like growth factor, (83) R17, (84) 195, (88) 77, (90) 147
Insulin-like growth factor binding protein-3, (83) R17, (84) 119
Insulin-like growth factor-binding proteins 1 and 3, (89) R1
Insulin-like growth factor binding protein, (90) 39
Insulin-like growth factor-I, (84) 109, (84) 119, (84) 219, (86) 205, (87) 57, (89) 91, (89) R1
Insulin-like growth factor-II, (88) 175, (89) 105
Insulin-like growth factor-II/mannose-6-phosphate receptor, (90) 147
Insulin-like growth factor-I-induced growth, (87) 19
Insulin-like growth factor-I receptor, (90) 69
Insulin-like growth factor receptor, (90) 147
Insulin receptor, (90) 69
Insulin receptor gene, (86) 111
Insulin release, (86) 49, (90) 117
Insulin secreting cell line (RINm5F), (88) 129
Insulin secretion, (85) C39, (86) 149
Interferon-γ, (86) 103
Interferon regulatory factor-1, (86) 103
Interleukin-2, (86) 103
Interleukin-6, (84) R31
Intestinal adaptation, (83) R17
Intracellular calcium, (89) 79
Intracellular pH, (86) 49
Intron, (89) 141
Iodothyronine, (86) 143
Ion flux, (90) 117
Ionophore, (84) 227
Ion transport, (88) 105
Isoform, (84) 127, (86) 157

Juvenile hormone, (84) 227, (89) 121

Kallikrein, (90) C15
Kallikrein, fetal, (88) 23
Karyorrhexis, (84) C19
Kidney androgen-regulated protein, (90) 239
Kidney, bovine, (83) 143
Kidney cell, (84) 99
Kidney, fetal, (88) 23
Kidney hypertrophy, (86) 67

Lactate transport, (86) 49
Lactation, (88) 119
Lactogen, (90) 165
Larva, (87) R7
Leucine zipper, (84) 209
Leydig cell, (83) 105, (83) 125, (83) R1, (84) 185, (87) 57, (88) 39, (89) 59, (89) 163, (90) 47
Leydig cell tumor, (83) 105
Lidocaine, (87) 157
Ligand, (83) C13
Lipid, (83) 201
Lipid-soluble fraction, (84) 47
Lipoprotein, (83) 125
Liver, (86) 143
Liver regeneration, (84) 119
LNCaP cell, (88) 153
Luciferase reporter gene, (88) 55
Luteal cell, (84) R7
Luteinizing hormone, (83) 125, (85) 99, (85) 117, (86) C1, (87) 57, (87) 115, (88) 67, (89) 59, (89) 111
Luteinizing hormone/chorionic gonadotropin receptor, (84) 127
Luteinizing hormone/human chorionic gonadotropin receptor, (83) 201
Luteinizing hormone receptor, (85) 33, (88) 55
Luteinizing hormone receptor expression, (88) 47
(Hyp^9)Luteinizing hormone-releasing hormone, (85) 99
Luteinizing hormone-releasing hormone, (85) 99
Luteinizing hormone-releasing hormone priming, (85) 183
Lymphocyte, (90) C5
Lysosomal enzyme, (90) 147
Lysosome, (90) 147

MA-10 cell, (83) 1
α_2-Macroglobulin, (84) 243, (89) 127
Mammalian, (85) 99
Mammary cancer, (85) 109
Mammary cell, (84) 155, (90) 61
Mammary gland tissue, (83) 51
Mammary tumor, (85) 83
Manduca sexta, (83) 11
Massive small bowel resection, (83) R17
MCF-7 cell, (87) 19, (90) 77
MDBK cell, (83) 143
Mechanism, (88) C1
Mediator, (84) C33
Melatonin, (88) C1
Melatonin receptor, (85) 53
Membrane, (89) 33
Membrane form, (86) 221
Membrane receptor, (90) C5
Membrane transport, (87) 139
Messenger RNA, (84) 89
Metamorphosis, (87) 105
Methotrexate, (83) 153
Met-Phe, (84) R27
Microsomal membrane, (84) 15
Mineralocorticoid, (90) C11
Mineralocorticoid receptor, (84) C25, (85) 21
Minimal promoter, (90) 33
Mitochondrion, (88) 1
Mitogenic activity, (84) 47
MMTV-CAT reporter gene, (88) 15
Model system, (84) C33
Modulation, (90) C1
Modulator, (84) C33, (86) 125
Molecular cloning, (90) 7
Molecular variant, (84) R23
Molluscan insulin-related peptide, (85) 141
Monoclonal antibody, (88) 89
Monocyte, (83) C9
Muscarinic ligand, (90) 87
Muscle, (90) 231
Mutagenesis, (84) 73
Myoblast, (90) 231

Nasal gland, (88) 23
Natriuretic peptide, (86) R1
Neomycin, (83) 211
Neonate, (90) 125, (90) 203
Nephron microdissection, (86) 193
Nerve growth factor gene expression, (84) 145
Neurointermediate lobe, (84) 23
Neuropeptide, (85) 141
Neurophysin, (89) 59
Neurotoxin, (84) 155
Nitric oxide, (90) R1
NOG-8, (90) 61
Non-cAMP second messenger pathway, (84) 185
Noncytoplasmic distribution, (86) 83
Nuclear estrogen receptor binding, (85) 13
Nuclear run-off transcription, (90) 27
Nucleotide sequence, (85) 127

Obesity, (84) 33
Ontogenesis, (86) 193
Ontogeny, (83) 39, (83) 133
Ontogeny of gene expression, (89) 91
Oocyte maturation, (88) 135
Opioid, (88) 67, (90) 165
Organoids, (87) 147
Ornithine aminotransferase, (90) 171
Ornithine decarboxylase, (86) 187
Ornithine decarboxylase activity, (86) 67
Osmolar concentration, (86) 137
Osteoporosis, (83) C9
Osteosarcoma cells (rat), (87) 69
Ovarian cancer cell, (83) 183
Ovarian follicles, (84) C19
Ovary, (83) 65, (85) 205, (86) 125, (86) 157, (89) R1
Ovary, hen, (83) 173
Ovine placental lactogen, (86) 37
Ovulation, (87) 115
Oxytocin, (83) 233

P-450$_{AROM}$, (83) R9
Pachytene spermatocyte, (83) 219
Pancreastatin, (88) 129
Pancreatectomy, (86) 149
Pancreatic β-cell, (84) R1
Pancreatic islet, (83) 95, (86) 49, (86) 149, (90) 117
Pancreatic islets, (86) 149
Paracrinology, (87) R25
Parathyroid cell, (83) 211
Parathyroid hormone, (87) 69
Parathyroid hormone release, (83) 211
Parotid gland, (85) 21

Penis, (90) 219
Peptide, (84) R27, (85) 41
Peptide biosynthesis, (84) 89
Peptide synthesis, (86) C1
Peritubular cell, (83) 219
Peritubular myoid cell, (88) 153
Peroxidase, (84) 73
Pertussis toxin, (86) 213
Phagocytosis, (84) R27
Phenotypic switching, (89) 19
Phorbol ester, (84) 195, (85) 215, (85) 237
Phosphatidylinositol 4,5-bisphosphate cascade, (88) R1
Phosphoinositidase C, (83) 29
Phosphoinositide turnover, (89) 1
Phosphoinositols, (83) 29
Phospholipase A_2, (84) 155, (85) 73
Phospholipase C, (83) 29, (87) 95
Phospholipase C inhibitors, (84) C33
Pineal gland, (88) C1
Pituicytes, (85) 1
Pituitary, (83) 239, (85) 1, (85) 99, (88) 97, (89) 1, (90) C15
Pituitary adenylate cyclase polypeptide, (87) 79
Pituitary cDNA library, (85) 127
Pituitary cell, (85) C45
Pituitary cells, dispersed, (84) R31
Pituitary endocrine cell, (87) 79
Pituitary fibroblast, (87) 79
Pituitary gland, (89) 39
Pituitary hormone, (88) 77
Pituitary neoplasm, (85) 157
Pituitary, rat, (90) R5
Placenta, (83) R9, (87) 139, (89) 47, (90) 165
Placental cell expression of gonadotropin-releasing hormone, (86) 1
Plasma growth hormone and insulin-like growth factor-I, (89) 91
Platelet-derived growth factor, (83) 57, (84) 109
Point mutation, (84) 159
Polarized secretion, (89) 127
Polyadenylation, (88) 143
Poly(A)$^+$-RNA synthesis, (84) R51
Poly(A) tail, (86) 29
Polymerase chain reaction, (84) 127, (84) R23, (85) 127, (87) 125
Polymerase chain reaction amplification, (90) 103
Polypeptide epitope, (86) 57
Posttesticular events, (87) R25
Post-translational maturation, (83) 233
Potassium, (83) 79
Prazosin, (84) 33, (90) 87
Pregnancy, (85) 205, (88) 119, (89) R5, (90) 239
Preproenkephalin gene, (84) 79
Preproinsulin mRNAs, (86) 177
Preprotachykinin, (84) 55
Primary culture, (83) 125
Pro-αC, (85) 237
Procaine, (87) 157
Processing, (90) C15
Progesterone, (83) 73, (85) 33, (85) 117, (88) 67, (88) 135, (90) 95
Progesterone secretion, (89) 141
Progesterone synthesis, (85) 195
Prohormone, (90) C15
Prolactin, (83) 51, (83) 79, (84) 55, (84) 155, (86) 103, (87) 1, (87) 29, (87) R19, (89) 1, (90) 27, (90) 61, (90) 133, (90) C15
Prolactin receptor, (89) 47
Prolactin secretion, (86) 137, (87) 157
Proliferation, (87) 69
Promoter, (88) 55, (88) 175
Prostaglandin E_2 formation, (85) 73
Prostaglandin $F_{2\alpha}$, (84) 137
Prostate, (88) 77, (90) 27
Protein kinase, (90) 47
Protein kinase A, (87) 69, (90) 231
Protein kinase C, (83) 11, (83) 143, (84) C33, (85) 183, (85) 237, (86) 125, (86) 137, (90) 27, (90) 61, (90) 231
Protein kinase C, activation, (87) 35
Protein synthesis, (83) 1, (84) 39, (87) 105
Prothoracic gland, (90) 187
Prothoracicotropic hormone, (90) 187

Quantitative polymerase chain reaction, (86) R1

Rat growth hormone gene promoter, (84) 209
Rb, (87) 179
Receptor, (83) 39, (83) C13, (84) 65, (87) 95, (87) R1, (88) 39, (88) 111, (88) C1
Receptor activity, (84) 99
Receptor binding, (86) C1, (90) 211
Receptor overexpression, (83) 153
Receptor regulation, (83) C9
Receptor subtype, (90) 87
Receptor thyrotropin, human, (83) 117
Receptor, type I, (85) 21
Recombinant, (84) 73
Recombinant DNA, (83) 195
Recombinant human choriogonadotropin β-subunit, (86) 57
Recombinant human follistatin, (90) 1
Recombinant protein, (83) 117, (89) 141
Reconstitution, (83) 201
Regulation, (90) 133
Relaxin, (89) R5
Responsive element, (90) R11
Retina membrane, (88) 111
Retinoic acid, (84) 65
Ricin, (87) 1
mRNA, (83) 39, (83) 133, (86) 29, (86) 205, (89) 67, (90) 179
RNA blot hybridization, (87) R7
mRNA level, (90) 219
mRNA stability, (88) 143
Round spermatids, (83) 219

Salivary gland, (88) 23
Salmo salar, (84) 167
Sarcoplasmic endoplasmic reticulum Ca^{2+} ATPase mRNA, (87) 87
Sarcoplasmic reticulum, (90) 125
Second messenger, (84) C33, (89) 121
Secretion, (83) 79, (86) 29
Secretogranin II, (88) 97
Seminiferous tubule, (83) 219
Senescence, (89) 19
Sequence, (83) 85
Sequences, 5′-untranslated, (90) 103
Serine dehydratase, (90) 141
Sertoli cell, (83) 105, (83) 219, (83) R1, (84) 79, (84) R45, (87) 167, (88) 153, (89) 127
Serum binding protein, (83) 133
Sex-hormone-binding globulin, (89) 33
S14 gene, (84) 65
Short-chain alcohol dehydrogenase, (84) C25
Signal transduction, (83) 173, (85) 227, (87) 69, (87) R25, (90) R1
Single-strand conformation polymorphism analysis, (87) 125
Site-directed mutagenesis, (86) C1
Skeletal muscle, (84) 15, (89) 11
[^{35}S]Methionine incorporation, (84) R51
Smooth muscle, (90) 219
S1 nuclease, (86) 177
Sockeye salmon, (90) 179
Sodium butyrate, (84) 99
Soluble form, (86) 221
Somatomedin, (86) 11
Somatostatin, (86) 213, (88) 111
Somatotropin, (84) 23, (85) 157
Somatotropin-releasing hormone, (85) 157
Spermatogenesis, (83) R1, (84) R45
Spermatogenesis, organization, (87) R25
Spermine, (83) 11
Sperm maturation, (89) 25
Spin label, (83) 201
Spleen cell, (84) R27
Stable expression, (84) 73
Stanniocalcin, (90) 7, (90) 179
Staphylococcus aureus V8 digestion, (90) 1
Staurosporine, (85) 183
Steroid, (90) 157
Steroid 17α-hydroxylase, (89) 19
Steroidogenesis, (83) 1, (83) 125, (84) 185, (84) 243, (85) 227, (87) 57, (87) R1, (89) 79, (90) 47, (90) 211
Steroidogenesis inducing protein, (84) 185, (89) 97
Steroid production, (84) 185, (85) 117
Steroid receptor, (83) C1
Steroid receptor, soluble, (84) 1
Steroid reductase, (84) C25
Stimulation, (86) 125
Streptozotocin, (83) 95
Striated skeletal muscle, (87) 87
Structure-activity relations, (86) C1
Submandibular gland, (84) 145, (89) 25
Sulfate uptake, (90) 95
Swiss 3T3 fibroblast, (87) 79
Synthetic peptide, (87) 9

αT3-1 cell, (86) 167, (87) 95
T cell activation gene, (86) 103
Testicular cell–cell interaction, (83) 219
Testin, (89) 127
Testis, (87) R25
Testosterone, (83) 219, (84) R27, (84) R51, (88) 15, (89) 163
12-*O*-Tetradecanoylphorbol 13-acetate, (83) 143, (86) 29
Theca cell, (90) 39
Thecal cell, porcine, (85) 117
Thecal-interstitial cell, (84) R7
Thiol-disulfide exchange, (85) 1

Thymidine incorporation, (84) 109
Thymocyte, (87) R19
Thyroglobulin, (88) 31, (88) 89, (90) R23
Thyroglobulin gene, (84) R23, (90) 33
Thyroglobulin mRNA, (84) R23
Thyroid, (84) 73, (84) R15, (86) 11, (88) 31, (88) 105, (90) R1, (90) R23
Thyroid cDNA library, (84) R39
Thyroid FRTL-5 cell, (84) 219, (86) 21
Thyroid hormone, (83) 239, (84) 145, (87) 131, (87) 139, (88) 89, (90) 111, (90) 125
Thyroid hormone receptor, (84) 209, (87) 105
Thyroid hormone resistance, (90) 111
Thyroid hormone response element, (84) 209
Thyroid hormone status, changes, (87) 87
Thyroid, human, (84) R23
Thyroid peroxidase, (83) 21
Thyroid-stimulating antibody, (88) R1
Thyroid-stimulating hormone, (86) C1
Thyroid-stimulating hormone receptor, (88) R1
Thyrotropin, (84) 55, (84) 219, (90) 33
Thyrotropin-releasing hormone, (87) 1
Tilapia, (85) 175
Tissue culture, (84) 89, (86) 149
Topography, (85) 89
Transcription, (84) 39, (84) 65, (86) 187, (88) 15, (88) 31, (88) 153
Transcriptional regulation, (90) 111, (90) 141
Transcription control, (90) R23
Transcription initiation site, (88) 55
Transcription, in vitro, (88) 175
Transdifferentiation, (84) 23
Transduction, (85) 175
Transfection, (87) 147, (87) R11, (89) 19
Transforming growth factor-β, (84) 243, (85) 117, (89) 97
Transforming growth factor-β_1, -β_2, (84) R7
Transgenic mice, (90) 33
Transglutaminase, (87) 49
Transient expression, (87) 147
Translation, (89) 111, (90) 171
Translation, in vitro, (88) 165
T_3 receptor gene, (84) 159
Trophic hormone, (83) 1
Trophoblast cell, (85) 65
Trophoblastic cell, (90) 165
TTF-1, (88) 31
Tubulin, (86) 83
Tumor necrosis factor-α, (84) R31
Tyrosine kinase, (83) 51, (90) 69
Uncoupling protein, (86) 73
Urinary electrolyte ratio, (90) C11
Uterus, (84) 109, (86) 119, (87) R11, (90) 239

Variable number of tandem repeats (VNTR), (83) 21
Vasoactive intestinal peptide, (83) 73, (84) 89, (87) 1
Vasopressin, (86) 29, (89) 59
Vasopressin analogues, (86) 193
Vasopressin mRNA, (89) 59
Vitamin D receptor, (83) 143
Vitamin D resistance, (90) 197
Vitamin D-resistant rickets, (83) C9

Western blot, (84) 175
White adipose tissue, (89) 11

Xenopus, (87) 105
Xenopus oocytes expression, (90) R5

Y-1 cell, (83) 1
Yohimbine, (84) 33

Molecular and Cellular Endocrinology, 91 (1993) 225–234
© 1993 Elsevier Scientific Publishers Ireland, Ltd. 0303-7207/93/$06.00

Author Index to Volumes 83–90 (1993)

Aatsinki, J.T., Pietilä, E.M., Lakkakorpi, J.T. and Rajaniemi, H.J.
Expression of the LH/CG receptor gene in rat ovarian tissue is regulated by an extensive alternative splicing of the primary transcript (84) 127

Abreu, L.C., see Porto, C.S. (89) 33

Adams, T.E., see Fiddes, R.J. (86) 37

Adashi, E.Y., see Hurwitz, A. (84) C19

Adessi, G.L., see Beck, L. (90) 95

Adessi, G.L., see Pellerin, I. (90) R17

Adessi, G.L., see Vuillermoz, C. (87) R11

Aflalo, L., see Sakal, E. (90) 39

Aguilera, G.
Role of angiotensin II receptor subtypes on the regulation of aldosterone secretion in the adrenal glomerulosa zone in the rat (90) 53

Ahima, R., see Krozowski, Z. (85) 21

Åkerström, G., see Ridefelt, P. (83) 211

Al-Aqeel, A., see Wiese, R.J. (90) 197

Albiston, A.L., Taylor, R.G., Herington, A.C., Beveridge, D.J. and Fuller, P.J.
Divergent ileal IGF-I and IGFBP-3 gene expression after small bowel resection: a novel mechanism to amplify IGF action? (83) R17

Alestrøm, P., see Klungland, H. (84) 167

Allen, C.U., Janzen, W.P. and Granger, N.A.
Manipulation of intracellular calcium affects in vitro juvenile hormone synthesis by larval corpora allata of *Manduca sexta* (84) 227

Alpizar, E., see Spicer, L.J. (83) 73

Ammar, A., Roseau, S. and Butlen, D.
Postnatal ontogenesis of vasopressin receptors in the rat collecting duct (86) 193

Ammon, H.P.T., see Wahl, M.A. (90) 117

Andersen, Ø., see Klungland, H. (84) 167

Anderson, L., Hoyland, J., Mason, W.T. and Eidne, K.A.
Characterization of the gonadotrophin-releasing hormone calcium response in single αT3-1 pituitary gonadotroph cells (86) 167

Anderson, L., see Eidne, K.A. (90) R5

Andoh, N., see Tanaka, T. (83) 65

Anouar, Y. and Duval, J.
Direct estradiol down-regulation of secretogranin II and chromogranin A mRNA levels in rat pituitary cells (88) 97

Apfelbaum, M.E.
Basal and gonadotrophin-releasing hormone-induced biosynthesis and release of luteinizing hormone: effect of calcium deprivation (89) 111

Arilla, E., see Colás, B. (88) 111

Arinze, I.J., see Kawai, Y. (90) 203

Armstrong, D.T., see Engelhardt, H. (85) 117

Armstrong, J.W., Cragoe, Jr., E.J., Bourke, J.R., Huxham, G.J. and Manley, S.W.
Chloride conductance of apical membrane in cultured porcine thyroid cells activated by cyclic AMP (88) 105

Audinot, V., see Gautron, J.P. (85) 99

Auersperg, N., see Roskelley, C.D. (89) 79

Aumeier, S., see Kessler, U. (90) 147

Baarends, W.M., see Blok, L.J. (88) 153

Baas, F., see Bikker, H. (83) 21

Bahl, O.P., see Chen, W. (86) 57

Bailbe, D., see Giroix, M.-H. (83) 95

Baimbridge, K.G., see Rodway, M.R. (84) 137

Baimbridge, K.G., see Roskelley, C.D. (89) 79

Banerjee, R. and Vonderhaar, B.K.
Prolactin-induced protein kinase C activity in a mouse mammary cell line (NOG-8) (90) 61

Bar-Ami, S. and Gitay-Goren, H.
Altered steroidogenic activity of human granulosa-lutein cells at different cell densities in culture (90) 157

Bar-Ami, S., see Gavish, M. (88) 1

Bárcena, J.A., see Padilla, C.A. (85) 1

Bardin, C.W., see Fujisawa, M. (84) 79

Bardin, C.W., see Grima, J. (89) 127

Bardin, C.W., see Porto, C.S. (89) 33

Barnett, R.W., see Campbell, R.K. (83) 195

Barre, N., see Guillou, M.D. (83) 233

Barreca, A., Voci, A., Minuto, F., De Marchis, M., Cecchelli, E., Fugassa, E., Giordano, G. and Gallo, G.
Effect of epidermal growth factor on insulin-like growth factor-I (IGF-I) and IGF-binding protein synthesis by adult rat hepatocytes (84) 119

Barrett, P.Q., see Bollag, W.B. (86) 93

Bassas, L., see Girbau, M. (90) 69

Bdolah, A., see Lewy, H. (89) 1

Beck, C.A. and Garner, C.W.
Stimulation of DNA synthesis in rat uterine cells by growth factors and uterine extracts (84) 109

Beck, L., Mahfoudi, A., Mularoni, A., Nicollier, M. and Adessi, G.L.
Progesterone stimulates sulfate uptake in subcultured endometrial epithelial cells (90) 95

Behre, H.M., see Nieschlag, E. (87) R25

Bélisle, S., see Petit, A. (90) 165

Bellabarba, D., see Petit, A. (90) 165

Bellido, T., Morelli, S., Fernández, L.M. and Boland, R.
Evidence for the participation of protein kinase C and 3′,5′-cyclic AMP-dependent protein kinase in the stimulation of muscle cell proliferation by 1,25-dihydroxy-vitamin D_3 (90) 231

Bellingham, D.L., Sar, M. and Cidlowski, J.A.
Methotrexate-induced overexpression of functional glucocorticoid receptors in Chinese hamster ovary cells (83) 153

Bello, P.A., see Nash, A.D. (84) R31

Ben-Yosef, D., Galiani, D., Dekel, N. and Shalgi, R.
Rat oocytes induced to mature by epidermal growth factor are successfully fertilized (88) 135

Benahmed, M., see Sordoillet, C. (89) 163

Benedetti Panici, P., see Ferrandina, G. (83) 183

Benne, F., see Hatey, F. (86) 205

Benoit, S.E., see Jonassen, J.A. (84) 55

Best, L., Trebilcock, R. and Tomlinson, S.
Lactate transport in insulin-secreting β-cells: contrast between rat islets and HIT-T15 insulinoma cells (86) 49

Beveridge, D.J., see Albiston, A.L. (83) R17

Biegel, L., see Liu, H. (87) 19

Bikker, H., Baas, F. and De Vijlder, J.J.M.
Structure and characterization of a 50 bp repeat in intron 10 of the human thyroid peroxidase gene (83) 21

Bird, I.M., Williams, B.C. and Walker, S.W.
Identification and metabolism of phosphoinositol species formed on angiotensin II stimulation of zona fasciculata-reticularis cells from the bovine adrenal cortex (83) 29

Bjornsson, B.T., see Le Goff, P. (90) 133

Black, M.A., Lefebvre, F.-A., Pope, L., Lefebvre, Y.A. and Walker, P.
Thyroid hormone and androgen regulation of nerve growth factor gene expression in the mouse submandibular gland (84) 145

Blench, I., see Singh, A. (83) 85

Blench, I., see Singh, A. (85) 165

Blok, L.J., Themmen, A.P.N., Peters, A.H.F.M., Trapman, J., Baarends, W.M., Hoogerbrugge, J.W. and Grootegoed, J.A.
Transcriptional regulation of androgen receptor gene expression in Sertoli cells and other cell types (88) 153

Blok, L.J., see Klaij, I.A. (85) 237

Bluet-Pajot, M.T., see Gautron, J.P. (85) 99

Boland, R., see Bellido, T. (90) 231

Boland, R., see Massheimer, V. (84) 15

Bollag, W.B., Barrett, P.Q., Isales, C.M., Liscovitch, M. and Rasmussen, H.
Signal transduction mechanisms involved in carbachol-induced aldosterone secretion from bovine adrenal glomerulosa cells (86) 93

Bon, C., see Ollivier-Bousquet, M. (84) 155

Bonanno, G., see Ferrandina, G. (83) 183

Bond, J.A., Graham, G.J., Freshney, M., Dawson, T., Sawhney, N., Williams, E.D. and Wynford-Thomas, D.
Detection and partial purification of a potent mitogenic factor for human thyroid follicular cells (84) R15

Bonnet, A., see Hatey, F. (86) 205

Bonnet, P., see Reiter, E. (88) 77

Boockfor, F.R., see Mogg, R.J. (87) 1

Borboni, P., see Sesti, G. (86) 111

Børglum, J.D., see Pedersen, S.B. (85) 13

Børglum, J.D., see Richelsen, B. (85) 73

Bortoff, K.D. and Messina, J.L.
Protein synthesis and insulin regulation of p33 and PEPCK gene expression (84) 39

Bouamoud, N., Lerrant, Y., Ribot, G. and Counis, R.
Differential stability of mRNAs coding for α and gonadotropin β subunits in cultured rat pituitary cells (88) 143

Bourke, J.R., see Armstrong, J.W. (88) 105

Brandon, M.R., see Fiddes, R.J. (86) 37

Brandon, M.R., see Nash, A.D. (84) R31

Briata, P., see Sesti, G. (86) 111

Bringhurst, F.R., see Zajac, J.D. (87) 69

Brown, A.S., Hall, P.F., Shoyab, M. and Papadopoulos, V.
Endozepine/diazepam binding inhibitor in adrenocortical and Leydig cell lines: absence of hormonal regulation (83) 1

Bryant, S.H., see Vakharia, D.D. (85) 89

Burnside, J. and Cogburn, L.A.
Developmental expression of hepatic growth hormone receptor and insulin-like growth factor-I mRNA in the chicken (89) 91

Burnstein, K.L. and Cidlowski, J.A.
The down side of glucocorticoid receptor regulation (83) C1

Bussa, S., see Ferrandina, G. (83) 183

Bussenot, I., see Guillou, M.D. (83) 233

Butlen, D., see Ammar, A. (86) 193

Campbell, R.K., Erfle, H., Barnett, R.W. and Moyle, W.R.
Assembly and expression of a synthetic gene encoding the bovine glycoprotein hormone α-subunit (83) 195

Campbell, R.M., see Spicer, L.J. (83) 73

Carayon, P., see Mallet, B. (88) 89

Carlo, P., see Young, A.A. (84) R1

Catterall, J.F., see Meseguer, A. (89) 153

Cavari, B., see Funkenstein, B. (87) R7

Cecchelli, E., see Barreca, A. (84) 119

Chae, C.-B., see Kamikubo, K. (84) 219

Chae, C.-B., see Skinner, C.A. (90) 33

Chambaz, E.M., see Keramidas, M. (84) 243

Champigny, O., Holloway, B.R. and Ricquier, D.
Regulation of UCP gene expression in brown adipocytes differentiated in primary culture. Effects of a new β-adrenoceptor agonist (86) 73

Chan, C.B. and MacPhail, R.M.
Functional characterization of α-adrenoceptors on pancreatic islets of *fa/fa* Zucker rats (84) 33

Chang, C., see Jiang, S.-Y. (90) 77

Chang, R., see Wolfe, M.M. (84) 89

Chappel, S.C., see Kelton, C.A. (89) 141

Chari, S., Kail, W., Daume, E. and Sturm, G.
Isolation of luteinising hormone receptor binding inhibitor from bovine corpus luteum (87) 115

Chauvin, M.A., see Sordoillet, C. (89) 163

Chazenbalk, G.D., see Rapoport, B. (84) R39

Chen, F., see Huang, J. (90) 211

Chen, W. and Bahl, O.P.
Polyclonal antibodies against the polypeptide and carbohydrate epitopes of recombinant human choriogonadotropin β-subunit (86) 57

Cheng, C.Y., see Grima, J. (89) 127

Cheng, S.V.Y., see Kelton, C.A. (89) 141

Chernov, B.K., see Pekhletsky, R.I. (90) 103

Chieffi-Baccari, G., see Varriale, B. (84) R51

Chieffi, G., see Varriale, B. (84) R51

Christ, M., see Wehling, M. (90) C5

Christophe, D., see Christophe-Hobertus, C. (88) 31

Christophe, D., see Donda, A. (90) R23

Christophe-Hobertus, C., Donda, A., Javaux, F., Vassart, G. and Christophe, D.
Identification of a transcriptional enhancer upstream from the bovine thyroglobulin gene (88) 31

Cidlowski, J.A., see Bellingham, D.L. (83) 153

Cidlowski, J.A., see Burnstein, K.L. (83) C1

Cioffi, M., see Lanni, A. (86) 143

Claessens, F., see De Vos, P. (90) R11

Clamagirand, C., see Guillou, M.D. (83) 233

Closset, J., see Reiter, E. (88) 77

Cochaux, P., see Targovnik, H.M. (84) R23

Cogburn, L.A., see Burnside, J. (89) 91

Coghlan, J.P., see Penschow, J.D. (88) 23

Colás, B., Valencia, A.M., Prieto, J.C. and Arilla, E.
Somatostatin binding and modulation of adenylate cyclase in ovine retina membranes (88) 111

Collu, R., see Drews, R.T. (87) 125

Combest, W.L. and Gilbert, L.I.
Polyamines modulate multiple protein phosphorylation pathways in the insect prothoracic gland (83) 11

Conn, P.M., Hawes, B.E. and Janovick, J.A.
Selection of models for the study of GnRH stimulated gonadotropin release prejudices the assignment of roles for mediators and modulators of hormone action (84) C33

Cooper, T.G., see Nieschlag, E. (87) R25

Copp, D.H., see Wagner, G.F. (90) 7

Corach, D., see Targovnik, H.M. (84) R23

Costello, L.C., see Franklin, R.B. (90) 27

Counis, R., see Bouamoud, N. (88) 143

Couper, G., see Eidne, K.A. (90) R5

Crabbé, J.
Aldosterone action, and the cost of flame photometry (90) C11

Cragoe, Jr., E.J., see Armstrong, J.W. (88) 105

Cramb, G., see Gilkes, A.F. (89) 39

Currie, W.D., see Krisinger, J. (86) 119

Cusson, M., Yagi, K.J., Xue-Chen, G. and Tobe, S.S.
Assessment of the role of cyclic nucleotides in allatostatin-induced inhibition of juvenile hormone biosynthesis in *Diploptera punctata* (89) 121

Cwyfan-Hughes, S.C., see Mason, H.D. (89) R1

Dann, J.L., see Krisinger, J. (86) 119

Dann, J.L., see Krisinger, J. (88) 119

D'Armiento, M., see Ulisse, S. (87) 131

Dattatreyamurty, B. and Reichert, Jr., L.E.
A synthetic peptide corresponding to amino acids 9–30 of the extracellular domain of the follitropin (FSH) receptor specifically binds FSH (87) 9

Daume, E., see Chari, S. (87) 115

Davie, J.R., see Wagner, G.F. (90) 7

Dawson, T., see Bond, J.A. (84) R15

De Boland, A.R., see Massheimer, V. (84) 15

DeGroot, L.J., see Hu, R.M. (84) 209

De Jong, F.H., see De Winter, J.P. (83) 105

De Jong, F.H., see De Winter, J.P. (83) R1

De Jong, F.H., see Klaij, I.A. (85) 237

Dekel, N., see Ben-Yosef, D. (88) 135

De Kretser, D.M., see Simpson, B.J.B. (87) 167

De Leval, J., see Reiter, E. (88) 77

DeLuca, H.F., see Wiese, R.J. (90) 197

DeManno, D.A., Maizels, E.T. and Hunzicker-Dunn, M.
Hormonal regulation of the type III isoform of C-kinase in porcine ovarian tissues (86) 157

De Marchis, M., see Barreca, A. (84) 119

De Matteis, S., see Ulisse, S. (87) 131

Demignon, J., see Rebut-Bonneton, C. (85) 65

De Pablo, F., see Girbau, M. (90) 69

De Peretti, E., see Sordoillet, C. (89) 163

De Pirro, R., see Sesti, G. (86) 111

Deslypere, J.-P., Young, M., Wilson, J.D. and McPhaul, M.J.
Testosterone and 5α-dihydrotestosterone interact differently with the androgen receptor to enhance transcription of the MMTV-CAT reporter gene (88) 15

De Vijlder, J.J.M., see Bikker, H. (83) 21

De Vincenzo, R., see Ferrandina, G. (83) 183

Devinoy, E., see Pierre, S. (87) 147

De Vos, P., Claessens, F., Peeters, B., Rombauts, W., Heyns, W. and Verhoeven, G.
Interaction of androgen and glucocorticoid receptor DNA-binding domains with their response elements (90) R11

De Winter, J.P., Themmen, A.P.N., Hoogerbrugge, J.W., Klaij, I.A., Grootegoed, J.A. and De Jong, F.H.
Activin receptor mRNA expression in rat testicular cell types (83) R1
De Winter, J.P., Timmerman, M.A., Vanderstichele, H.M.J., Klaij, I.A., Grootenhuis, A.J., Rommerts, F.F.G. and De Jong, F.H.
Testicular Leydig cells in vitro secrete only inhibin α-subunits, whereas Leydig cell tumors can secrete bioactive inhibin (83) 105
Dias, J.A., see Vakharia, D.D. (85) 89
Dias, J.A., see Weiner, R.S. (85) 41
Dillmann, W.H., see Sayen, M.R. (87) 87
Di Marino, C., see Veneziani, B.M. (86) 11
Di Matteo, L., see Varriale, B. (84) R51
Dimattia, G.E., see Wagner, G.F. (90) 7
D'Istria, M., see Varriale, B. (84) R51
Dombrowicz, D., see Reiter, E. (88) 77
Donda, A., Javaux, F., Van Renterghem, P., Gervy-Decoster, C., Vassart, G. and Christophe, D.
Human, bovine, canine and rat thyroglobulin promoter sequences display species-specific differences in an in vitro study (90) R23
Donda, A., see Christophe-Hobertus, C. (88) 31
Dorrington, J.H., see Khan, S.A. (89) 97
Dorrington, J.H., see Teerds, K.J. (84) R7
Drews, R.T., Gravel, R.A. and Collu, R.
Identification of G protein α subunit mutations in human growth hormone (GH)- and GH/prolactin-secreting pituitary tumors by single-strand conformation polymorphism (SSCP) analysis (87) 125
Dufaure, J.P., see Rigaudière, N. (89) 67
Dumont, J.E., see Esteves, R.Z. (90) R1
Dumont, J.E., see Van Sande, J. (88) R1
Duval, J., see Anouar, Y. (88) 97

Ebberink, R.H.M., see Li, K.W. (85) 141
Eby, J.E., see Sato, H. (83) 239
Egozi, Y., see Koren, D. (90) 87
Eidne, K.A., Sellar, R.E., Couper, G., Anderson, L. and Taylor, P.L.
Molecular cloning and characterisation of the rat pituitary gonadotropin-releasing hormone (GnRH) receptor (90) R5
Eidne, K.A., see Anderson, L. (86) 167
Eisen, C., see Wehling, M. (90) C5
Ekiko, D.B., see Franklin, R.B. (90) 27
Ekström, T.J., see Levinovitz, A. (89) 105
Ellerkmann, E., see Porter, T.E. (84) 23
Emanuel, R.L., Girard, D.M., Thull, D.L. and Majzoub, J.A.
Regulated expression of vasopressin gene by cAMP and phorbol ester in primary rat fetal hypothalamic cultures (86) 29
Engelhardt, H., Tekpetey, F.R., Gore-Langton, R.E. and Armstrong, D.T.
Regulation of steroid production in cultured porcine thecal cells by transforming growth factor-β (85) 117
Engler, D., see Liu, J.-P. (87) 35
Enright, W.J., see Spicer, L.J. (83) 73
Erfle, H., see Campbell, R.K. (83) 195
Eskola, V., see Huhtaniemi, I.T. (88) 55
Esteves, R.Z., Van Sande, J. and Dumont, J.E.
Nitric oxide as a signal in thyroid (90) R1
Evain-Brion, D., see Rebut-Bonneton, C. (85) 65
Eyster, K.M., Waller, M.S. and Johnson, M.J.
Protein kinase C stimulatory activity in the pseudopregnant rat ovary (86) 125

Fagan, R.J. and Rozen, R.
Translational control of ornithine-δ-aminotransferase (OAT) by estrogen (90) 171
Fan, G. and Rillema, J.A.
Effect of a tyrosine kinase inhibitor, genistein, on the actions of prolactin in cultured mouse mammary tissues (83) 51
Faure, J., see Rigaudière, N. (89) 67
Fehmann, H.-C., Göke, R. and Göke, B.
Glucagon-like peptide-1(7–37)/(7–36) amide is a new incretin (85) C39
Feige, J.-J., see Keramidas, M. (84) 243
Feige, J.J., see Sordoillet, C. (89) 163
Fernández, L.M., see Bellido, T. (90) 231
Fernandez, L.M., see Massheimer, V. (84) 15
Ferrandina, G., Scambia, G., Benedetti Panici, P., Bonanno, G., De Vincenzo, R., Rumi, C., Bussa, S., Genuardi, M., Spica Romano, V. and Mancuso, S.
Effects of dexamethasone on the growth and epidermal growth factor receptor expression of the OVCA 433 ovarian cancer cells (83) 183
Ferrara, P., see Oke, B.O. (87) R1
Fiddes, R.J., Brandon, M.R. and Adams, T.E.
Functional expression of an ovine growth hormone receptor in transfected Chinese hamster ovary cells (86) 37
Fiebig, S., Schmitt-Wrede, H.-P., Wunderlich, F., Stangier, J. and Schiltz, E.
Testosterone-induced diminution of two peptides in spleen cells from testosterone-immunosuppressed B10 mice (84) R27
Finke, R., Foti, D. and Rapoport, B.
Importance of the carboxyl terminus of human thyroid peroxidase in the efficient expression of the protein in eukaryotic cells (84) 73
Flinterman, J.F., see Van Haren, L. (87) 57
Flynn, T.G., see Roy, R.N. (86) R1
Flyvbjerg, A., see Pedersen, S.B. (86) 67
Foti, D., see Finke, R. (84) 73
Franklin, R.B., Ekiko, D.B. and Costello, L.C.
Prolactin stimulates transcription of aspartate aminotransferase in prostate cells (90) 27
Franks, D.J., see Simboli-Campbell, M. (83) 143
Franks, S., see Mason, H.D. (89) R1
Frawley, L.S., see Porter, T.E. (84) 23
Freshney, M., see Bond, J.A. (84) R15
Friesen, H.G., see Sterba, T. (90) 179
Friesen, H.G., see Wagner, G.F. (90) 7
Frunzio, R., see Veneziani, B.M. (86) 11
Fuentes Navarro, A., see González-Cadavid, N.F. (90) 219
Fugassa, E., see Barreca, A. (84) 119
Fujisawa, M., Bardin, C.W. and Morris, P.L.
A germ cell factor(s) modulates preproenkephalin gene expression in rat Sertoli cells (84) 79
Fuller, P.J., see Albiston, A.L. (83) R17
Funder, J.W., see Liu, J.-P. (87) 35
Funk, B., see Kessler, U. (90) 147
Funkenstein, B., Tandler, A. and Cavari, B.
Developmental expression of the growth hormone gene in the gilthead sea bream *Sparus aurata* (87) R7
Fyhrquist, F., see Pekonen, F. (84) 203

Gagnon, A.M., see Simboli-Campbell, M. (83) 143
Galiani, D., see Ben-Yosef, D. (88) 135
Gallo, G., see Barreca, A. (84) 119
Gallo-Payet, N., see Petit, A. (90) 165
Galron, R., see Lewy, H. (89) 1
Garner, C.W., see Beck, C.A. (84) 109
Gasser, F., see Hatey, F. (86) 205
Gautron, J.P., Leblanc, P., Bluet-Pajot, M.T., Pattou, E., L'Héritier, A., Mounier, F., Ponce, G., Audinot, V., Rasolonjanahary, R. and Kordon, C.
A second endogenous molecular form of mammalian hypothalamic luteinizing hormone-releasing hormone (LHRH), (hydroxyproline^9)LHRH, releases luteinizing hormone and follicle-stimulating hormone in vitro and in vivo (85) 99
Gavish, M., Bar-Ami, S. and Weizman, R.
The endocrine system and mitochondrial benzodiazepine receptors (88) 1
Genuardi, M., see Ferrandina, G. (83) 183
Geraerts, W.P.M., see Li, K.W. (85) 141
Gertler, A., see Sakal, E. (90) 39
Gervy-Decoster, C., see Donda, A. (90) R23
Gherzi, R., see Sesti, G. (86) 111
Ghilchik, M.W., see Singh, A. (83) 85
Ghyselinck, N.B., see Rigaudière, N. (89) 67
Giat, J., see Segal-Abramson, T. (85) 109
Gibbs, R.B., see Okano, H.J. (87) 179
Gibori, G., see Nelson, S.E. (85) 195
Gilbert, L.I., see Combest, W.L. (83) 11
Gilkes, A.F., MacKay, K.B., Cramb, G. and Guild, S.B.
Atrial natriuretic peptide effects in AtT-20 pituitary tumour cells (89) 39
Giordano, G., see Barreca, A. (84) 119
Girard, D.M., see Emanuel, R.L. (86) 29
Girbau, M., González-Guerrero, P.R., Bassas, L. and De Pablo, F.
Insulin receptors and insulin-like growth factor I receptors in embryos from gastrula until organogenesis (90) 69
Giroix, M.-H., Rasschaert, J., Sener, A., Leclercq-Meyer, V., Bailbe, D., Portha, B. and Malaisse, W.J.
Study of hexose transport, glycerol phosphate shuttle and Krebs cycle in islets of adult rats injected with streptozotocin during the neonatal period (83) 95
Gitay-Goren, H., see Bar-Ami, S. (90) 157

Goberna, R., see Sánchez-Margalet, V. (88) 129
Goforth, D.P., see Murono, E.P. (88) 39
Goglia, F., see Lanni, A. (86) 143
Göke, B., see Fehmann, H.-C. (85) C39
Göke, R., see Fehmann, H.-C. (85) C39
González-Cadavid, N.F., Vernet, D., Fuentes Navarro, A., Rodríguez, J.A., Swerdloff, R.S. and Rajfer, J.
Up-regulation of the levels of androgen receptor and its mRNA by androgens in smooth-muscle cells from rat penis (90) 219
González-Guerrero, P.R., see Girbau, M. (90) 69
Gordon, D.F., see Wierman, M.E. (86) 1
Gore-Langton, R.E., see Engelhardt, H. (85) 117
Goto, H., see Wiese, R.J. (90) 197
Gout, I., see Harfst, E. (83) 117
Graham, G.J., see Bond, J.A. (84) R15
Granger, N.A., see Allen, C.U. (84) 227
Grasso, P. and Reichert, Jr., L.E.
Stabilization of follicle-stimulating hormone-receptor complexes may involve calcium-dependent transglutaminase activation (87) 49
Gravel, R.A., see Drews, R.T. (87) 125
Greenberg, R.M., see Lin, Y.-W.P. (85) 127
Greer, M.A., see Inukai, T. (87) 29
Greer, M.A., see Sato, N. (86) 137
Greer, M.A., see Wang, X. (83) 79
Greer, M.A., see Wang, X. (87) 157
Grima, J., Pineau, C., Bardin, C.W. and Cheng, C.Y.
Rat Sertoli cell clusterin, α_2-macroglobulin, and testins: biosynthesis and differential regulation by germ cells (89) 127
Gromoll, J., see Kliesch, S. (84) R45
Grønbæk, H., see Pedersen, S.B. (86) 67
Gröner, I., see McArdle, C.A. (87) 95
Grootegoed, J.A., see Blok, L.J. (88) 153
Grootegoed, J.A., see De Winter, J.P. (83) R1
Grootegoed, J.A., see Klaij, I.A. (85) 237
Grootenhuis, A.J., see De Winter, J.P. (83) 105
Gross, D.J., see Wentworth, B.M. (86) 177
Gruber, J.A., see Roehrborn, C.G. (84) 1
Gudermann, T., see Nieschlag, E. (87) R25
Guild, S.B., see Gilkes, A.F. (89) 39
Guillou, M.D., Barre, N., Bussenot, I., Plevrakis, I. and Clamagirand, C.
COOH-terminally-extended processing forms of oxytocin in human ovary (83) 233
Gunsalus, G.L., see Porto, C.S. (89) 33
Gylfe, E., see Ridefelt, P. (83) 211

Halban, P.A., see Wentworth, B.M. (86) 177
Hall, P.F., see Brown, A.S. (83) 1
Hardy, M., see Ivell, R. (89) 59
Harfst, E., Johnstone, A.P., Gout, I., Taylor, A.H., Waterfield, M.D. and Nussey, S.S.
The use of the amplifiable high-expression vector pEE14 to study the interactions of autoantibodies with recombinant human thyrotrophin receptor (83) 117
Harlan, R., see Krozowski, Z. (85) 21
Hatey, F., Langlois, I., Mulsant, P., Bonnet, A., Benne, F. and Gasser, F.
Gonadotropins induce accumulation of insulin-like growth factor I mRNA in pig granulosa cells in vitro (86) 205
Hattori, M.-a. and Horiuchi, R.
Biphasic effects of exogenous ganglioside GM3 on follicle-stimulating hormone-dependent expression of luteinizing hormone receptor in cultured granulosa cells (88) 47
Haux, C., see Le Goff, P. (90) 133
Hawes, B.E., see Conn, P.M. (84) C33
Hedger, M.P., see Risbridger, G.P. (83) 125
Hedger, M.P., see Simpson, B.J.B. (87) 167
Hellman, P., see Ridefelt, P. (83) 211
Hennen, G., see Reiter, E. (88) 77
Herington, A.C., see Albiston, A.L. (83) R17
Herington, A.C., see Tiong, T.S. (83) 133
Herington, A.C., see Ymer, S.I. (83) 39
Herrmann, H.-D., see Puchner, M.J.A. (85) 157
Hertelendy, F., Molnár, M. and Jamaluddin, M.
Dual action of arachidonic acid on calcium mobilization in avian granulosa cells (83) 173
Heyns, W., see De Vos, P. (90) R11
Heyns, W., see Marivoet, S. (88) 165
Höflich, M., see Zink, A. (86) 213
Holloway, B.R., see Champigny, O. (86) 73
Holly, J.M.P., see Mason, H.D. (89) R1
Holmgren, A., see Padilla, C.A. (85) 1
Holthuizen, P.E., see Van Dijk, M.A. (88) 175
Hoogasian, J., see Jonassen, J.A. (84) 55
Hoogerbrugge, J.W., see Blok, L.J. (88) 153
Hoogerbrugge, J.W., see De Winter, J.P. (83) R1
Horiuchi, R., see Hattori, M.-a. (88) 47
Hornsby, P.J., see Lala, D.S. (89) 19
Houdebine, L.M., see Pierre, S. (87) 147
Hoyland, J., see Anderson, L. (86) 167
Hrachovy, J.A., see Schwarz, L.A. (86) 103
Hu, R.M., Sakurai, A., Miyamoto, T. and DeGroot, L.J.
Expression and function of a human thyroid hormone receptor-derived DNA-binding domain protein (84) 209
Huang, J., Ujihara, M., Xia, H., Chen, F., Yoshida, H. and Puett, D.
Mutagenesis of the 'determinant loop' region of human choriogonadotropin β (90) 211
Hugel, H.M., see Kennaway, D.J. (88) C1
Huhtaniemi, I.T., Eskola, V., Pakarinen, P., Matikainen, T. and Sprengel, R.
The murine luteinizing hormone and follicle-stimulating hormone receptor genes: transcription initiation sites, putative promoter sequences and promoter activity (88) 55
Hunt, N., see Ivell, R. (89) 59
Hunzicker-Dunn, M., see DeManno, D.A. (86) 157
Hunzicker-Dunn, M., see Nelson, S.E. (85) 195
Hurwitz, A. and Adashi, E.Y.
Ovarian follicular atresia as an apoptotic process: a paradigm for programmed cell death in endocrine tissues (84) C19
Huxham, G.J., see Armstrong, J.W. (88) 105

Imura, H., see Sasaki, S. (84) 159
Inouye, S., Ling, N. and Shimasaki, S.
Localization of the heparin binding site of follistatin (90) 1
Inukai, T., Wang, X. and Greer, M.A.
α-Adrenergic inhibition of thyrotropin-releasing hormone-induced prolactin secretion in GH_4C_1 cells is associated with a depressed rise in intracellular Ca^{2+} (87) 29
Isales, C.M., see Bollag, W.B. (86) 93
Ivell, R., Hunt, N., Hardy, M., Nicholson, H. and Pickering, B.
Vasopressin biosynthesis in rodent Leydig cells (89) 59

Jamaluddin, M., see Hertelendy, F. (83) 173
Jannini, E.A., see Ulisse, S. (87) 131
Janovick, J.A., see Conn, P.M. (84) C33
Jansson, L., see Sandler, S. (86) 149
Janzen, W.P., see Allen, C.U. (84) 227
Jaussi, R., Watson, G. and Paigen, K.
Modulation of androgen-responsive gene expression by estrogen (86) 187
Javaux, F., see Christophe-Hobertus, C. (88) 31
Javaux, F., see Donda, A. (90) R23
Jeung, E.B., see Krisinger, J. (86) 119
Jeung, E.B., see Krisinger, J. (88) 119
Jiang, L.G., see Sairam, M.R. (85) 227
Jiang, S.-Y., Wolf, D.M., Yingling, J.M., Chang, C. and Jordan, V.C.
An estrogen receptor positive MCF-7 clone that is resistant to antiestrogens and estradiol (90) 77
Johnson, M.J., see Eyster, K.M. (86) 125
Johnson, M.S., Mitchell, R. and Thomson, F.J.
The priming effect of luteinizing hormone-releasing hormone (LHRH) but not LHRH-induced gonadotropin release, can be prevented by certain protein kinase C inhibitors (85) 183
Johnstone, A.P., see Harfst, E. (83) 117
Jolivet, G., see Pierre, S. (87) 147
Jonassen, J.A., Mullikin-Kilpatrick, D., Hoogasian, J., Benoit, S.E. and Leeman, S.E.
Regulation of adenohypophyseal messenger RNAs in female rats by age, hypothyroidism, estradiol and neonatal androgenization (84) 55
Jones, L.S., Ottobre, J.S. and Pate, J.L.
Progesterone regulation of luteinizing hormone receptors on cultured bovine luteal cells (85) 33
Joosse, J., see Li, K.W. (85) 141
Jordan, V.C., see Jiang, S.-Y. (90) 77
Jouvenot, M., see Pellerin, I. (90) R17
Jouvenot, M., see Vuillermoz, C. (87) R11
Jump, D.B., see Lepar, G.J. (84) 65

Kail, W., see Chari, S. (87) 115

Kamikubo, K., Nayfeh, S.N. and Chae, C.-B.
Differential regulation of multiple c-*erbA* expression by thyrotropin, insulin and insulin-like growth factor I in rat thyroid FRTL-5 cells (84) 219

Kao, L.-R., see Skinner, C.A. (90) 33

Karnik, P.S., see Wolfe, M.M. (84) 89

Kasahara, M., see Mizuki, N. (89) 25

Kasik, J.W. and Rice, E.J.
Kidney androgen-regulated protein gene is expressed in the uterus during late pregnancy (90) 239

Kasson, B.G., see Ness, J.M. (90) 17

Kaufman, K.D., see Rapoport, B. (84) R39

Kawai, Y. and Arinze, I.J.
Glucocorticoid regulation of G-protein subunits in neonatal liver (90) 203

Kaynard, A.H., Low, K.G. and Melner, M.H.
Differential regulation of anterior pituitary prodynorphin and gonadotropin-subunit gene expression by steroid hormones (88) 67

Kearns, A.K., see Zajac, J.D. (87) 69

Kelly, D., see Skinner, C.A. (90) 33

Kelton, C.A., Cheng, S.V.Y., Nugent, N.P., Schweickhardt, R.L., Rosenthal, J.L., Overton, S.A., Wands, G.D., Kuzeja, J.B., Luchette, C.A. and Chappel, S.C.
The cloning of the human follicle stimulating hormone receptor and its expression in COS-7, CHO, and Y-1 cells (89) 141

Kennaway, D.J. and Hugel, H.M.
Melatonin binding sites: are they receptors? (88) C1

Kepa, J.K., see Wierman, M.E. (86) 1

Keramidas, M., Chambaz, E.M. and Feige, J.-J.
Inhibition of adrenocortical steroidogenesis by α_2-macroglobulin is caused by associated transforming growth factor β (84) 243

Kessler, M.A., see Scott, P. (89) 47

Kessler, U., Aumeier, S., Funk, B. and Kiess, W.
Biosynthetic labeling of β-hexosaminidase B: inhibition of the cellular uptake of lysosomal secretions containing [^{3}H]hexosaminidase B by insulin-like growth factor-II in rat C6 glial cells (90) 147

Keutmann, H.T.
Receptor-binding regions in human glycoprotein hormones (86) C1

Khan, S.A., Shum, L.W., Teerds, K. and Dorrington, J.H.
Steroidogenesis-inducing protein interacts with transforming growth factor-β to stimulate DNA synthesis in rat granulosa cells (89) 97

Khan, S.A., see Stocco, D.M. (84) 185

Kiess, W., see Kessler, U. (90) 147

Kilgore, M.W., Means, G.D., Mendelson, C.R. and Simpson, E.R.
Alternative promotion of aromatase *P*-450 expression in the human placenta (83) R9

Kisen, G.Ø., see Klungland, H. (84) 167

Klaij, I.A., Timmerman, M.A., Blok, L.J., Grootegoed, J.A. and De Jong, F.H.
Regulation of inhibin βB-subunit mRNA expression in rat Sertoli cells: consequences for the production of bioactive and immunoreactive inhibin (85) 237

Klaij, I.A., see De Winter, J.P. (83) 105

Klaij, I.A., see De Winter, J.P. (83) R1

Kliemann, D., see Zink, A. (86) 213

Kliesch, S., Penttilä, T.-L., Gromoll, J., Saunders, P.T.K., Nieschlag, E. and Parvinen, M.
FSH receptor mRNA is expressed stage-dependently during rat spermatogenesis (84) R45

Klungland, H., Lorens, J.B., Andersen, Ø., Kisen, G.Ø. and Alestrøm, P.
The Atlantic salmon prepro-gonadotropin releasing hormone gene and mRNA (84) 167

Knappe, U.J., see Puchner, M.J.A. (85) 157

Koch, B. and Lutz-Bucher, B.
Pituitary adenylate cyclase polypeptide (PACAP) stimulates cyclic AMP formation in pituitary fibroblasts and 3T3 tumor fibroblasts: lack of enhancement by protein kinase C activation (87) 79

Kolena, J., Matejčíková, K. and Šrenkelová, G.
Osmolytes improve the reconstitution of luteinizing hormone/human chorionic gonadotropin receptors into proteoliposomes (83) 201

Kordon, C., see Gautron, J.P. (85) 99

Koren, D., Egozi, Y. and Sokolovsky, M.
Muscarinic involvement in the regulation of gonadotropin-releasing hormone in the cyclic rat (90) 87

Koren, R., Ravid, A. and Liberman, U.A.
Peripheral blood mononuclear cells: a model for the human vitamin D endocrine system in health and disease (83) C9

Krisinger, J., Dann, J.L., Currie, W.D., Jeung, E.B. and Leung, P.C.K.
Calbindin-D_{9k} mRNA is tightly regulated during the estrous cycle in the rat uterus (86) 119

Krisinger, J., Dann, J.L., Jeung, E.B. and Leung, P.C.K.
Calbindin-D_{9k} gene expression during pregnancy and lactation in the rat (88) 119

Kronenberg, H.M., see Zajac, J.D. (87) 69

Krozowski, Z., Wendell, K., Ahima, R. and Harlan, R.
Type I corticosteroid receptor-like immunoreactivity in the rat salivary glands and distal colon: modulation by corticosteroids (85) 21

Krozowski, Z.
11β-Hydroxysteroid dehydrogenase and the short-chain alcohol dehydrogenase (SCAD) superfamily (84) C25

Kuzeja, J.B., see Kelton, C.A. (89) 141

Lakkakorpi, J.T., see Aatsinki, J.T. (84) 127

Lala, D.S. and Hornsby, P.J.
Activity of the *CYP17* promoter in bovine adrenocortical cells before and after phenotypic switching (89) 19

Lamberg-Allardt, C., see Törnquist, K. (86) 21

Landsbeck, E.A., see Wahl, M.A. (90) 117

Langhout, D.J., see Spicer, L.J. (83) 73

Langlois, I., see Hatey, F. (86) 205

Lanni, A., Moreno, M., Cioffi, M. and Goglia, F.
Effect of 3,3′-diiodothyronine and 3,5-diiodothyronine on rat liver oxidative capacity (86) 143

Lauro, R., see Sesti, G. (86) 111

Leblanc, P., see Gautron, J.P. (85) 99

Leclercq-Meyer, V., see Giroix, M.-H. (83) 95

Leeman, S.E., see Jonassen, J.A. (84) 55

Lefebvre, F.-A., see Black, M.A. (84) 145

Lefebvre, Y.A., see Black, M.A. (84) 145

Le Goff, P., Salbert, G., Prunet, P., Saligaut, C., Bjornsson, B.T., Haux, C. and Valotaire, Y.
Absence of direct regulation of prolactin cells by estradiol-17β in rainbow trout (*Oncorhynchus mykiss*) (90) 133

Lehoux, J.-G., see Petit, A. (90) 165

Lejeune, C., see Van Sande, J. (88) R1

Lejeune, P.J., see Mallet, B. (88) 89

Le Marchand-Brustel, Y., see Olichon-Berthe, C. (89) 11

Lepar, G.J. and Jump, D.B.
Retinoic acid and dexamethasone interact to regulate S14 gene transcription in 3T3-F442A adipocytes (84) 65

Lephart, E.D., Simpson, E.R. and McPhaul, M.J.
Ovarian aromatase cytochrome *P*-450 mRNA levels correlate with enzyme activity and serum estradiol levels in anestrous, pregnant and lactating rats (85) 205

Lerrant, Y., see Bouamoud, N. (88) 143

Leung, P.C.K., see Krisinger, J. (86) 119

Leung, P.C.K., see Krisinger, J. (88) 119

Leung, P.C.K., see Rodway, M.R. (84) 137

Leung, P.C.K., see Roskelley, C.D. (89) 79

Levavi-Sivan, B. and Yaron, Z.
Involvement of cyclic adenosine monophosphate in the stimulation of gonadotropin secretion from the pituitary of the teleost fish, tilapia (85) 175

Levinovitz, A., Norstedt, G., Van den Berg, S., Robinson, I.C.A.F. and Ekström, T.J.
Isolation of an insulin-like growth factor II cDNA from guinea pig liver: expression and developmental regulation (89) 105

Levy, J., see Segal-Abramson, T. (85) 109

Lewy, H., Galron, R., Bdolah, A., Sokolovsky, M. and Naor, Z.
Paradoxical signal transduction mechanism of endothelins and sarafotoxins in cultured pituitary cells: stimulation of phosphoinositide turnover and inhibition of prolactin release (89) 1

L'Héritier, A., see Gautron, J.P. (85) 99

Li, K.W., Geraerts, W.P.M., Ebberink, R.H.M. and Joosse, J.

Purification and sequencing of molluscan insulin-related peptide I (MIP I) from the neuroendocrine light green cells of *Lymnaea stagnalis* (85) 141
Liberman, U.A., see Koren, R. (83) C9
Lin, M.T., Wei, S.J. and Wing, L.Y.C.
Chemotactic and mitogenic activities of granulosa cells in developing follicles (84) 47
Lin, Y.-W.P., Rupnow, B.A., Price, D.A., Greenberg, R.M. and Wallace, R.A.
Fundulus heteroclitus gonadotropins. 3. Cloning and sequencing of gonadotropic hormone (GTH) I and II β-subunits using the polymerase chain reaction (85) 127
Ling, N., see Inouye, S. (90) 1
Liscovitch, M., see Bollag, W.B. (86) 93
Liu, H., Biegel, L., Narasimhan, T.R., Rowlands, C. and Safe, S.
Inhibition of insulin-like growth factor-I responses in MCF-7 cells by 2,3,7,8-tetrachlorodibenzo-*p*-dioxin and related compounds (87) 19
Liu, J.-P., Engler, D., Funder, J.W. and Robinson, P.J.
Evidence that the stimulation by arginine vasopressin of the release of adrenocorticotropin from the ovine anterior pituitary involves the activation of protein kinase C (87) 35
Lobb, D.K. and Porter, D.G.
Rapid increase in relaxin gene expression in early pregnancy in the pig (89) R5
López-Barea, J., see Padilla, C.A. (85) 1
Lorens, J.B., see Klungland, H. (84) 167
Lou, K.J., see Smith, W.A. (90) 187
Low, K.G., see Kaynard, A.H. (88) 67
Lucas, M., see Sánchez-Margalet, V. (88) 129
Luchette, C.A., see Kelton, C.A. (89) 141
Lüdecke, D.K., see Puchner, M.J.A. (85) 157
Ludgate, M., see Van Sande, J. (88) R1
Lutz-Bucher, B., see Koch, B. (87) 79

Machuca, I. and Tata, J.R.
Autoinduction of thyroid hormone receptor during metamorphosis is reproduced in *Xenopus* XTC-2 cells (87) 105
MacKay, K.B., see Gilkes, A.F. (89) 39
MacPhail, R.M., see Chan, C.B. (84) 33
Mahfoudi, A., see Beck, L. (90) 95
Mailliard, M.E., see Wolfe, M.M. (84) 89
Maiyar, A.C. and Norman, A.W.
Effects of sodium butyrate on 1,25-dihydroxyvitamin D_3 receptor activity in primary chick kidney cells (84) 99
Maizels, E.T., see DeManno, D.A. (86) 157
Majzoub, J.A., see Emanuel, R.L. (86) 29
Malaisse, W.J., see Giroix, M.-H. (83) 95
Maliénou-N'Gassa, R., see Pierre, S. (87) 147
Mallet, B., Lejeune, P.J., Ruf, J., Piechaczyk, M., Marriq, C. and Carayon, P.
Tyrosine iodination and iodotyrosyl coupling of the N-terminal thyroid hormone forming site of human thyroglobulin modulate its binding to auto- and monoclonal antibodies (88) 89
Mancuso, S., see Ferrandina, G. (83) 183
Manley, S.W., see Armstrong, J.W. (88) 105
Manley, S.W., see Mitchell, A.M. (87) 139
Marini, M.A., see Sesti, G. (86) 111
Marivoet, S., Van Dijck, P., Verhoeven, G. and Heyns, W.
Interaction of the 90-kDa heat shock protein with native and in vitro translated androgen receptor and receptor fragments (88) 165
Marriq, C., see Mallet, B. (88) 89
Martínez-Galisteo, E., see Padilla, C.A. (85) 1
Marx, S.J., see Wiese, R.J. (90) 197
Mason, H.D., Willis, D., Holly, J.M.P., Cwyfan-Hughes, S.C., Seppala, M. and Franks, S.
Inhibitory effects of insulin-like growth factor-binding proteins on steroidogenesis by human granulosa cells in culture (89) R1
Mason, W.T., see Anderson, L. (86) 167
Massheimer, V., Fernandez, L.M., Boland, R. and De Boland, A.R.
Regulation of Ca^{2+} uptake in skeletal muscle by 1,25-dihydroxyvitamin D_3: role of phosphorylation and calmodulin (84) 15
Matejčíková, K., see Kolena, J. (83) 201
Matikainen, T., see Huhtaniemi, I.T. (88) 55
McArdle, C.A., Schomerus, E., Gröner, I. and Poch, A.
Estradiol regulates gonadotropin-releasing hormone receptor number, growth and inositol phosphate production in αT3-1 cells (87) 95
McKinnell, C. and Sharpe, R.M.
The role of specific germ cell types in modulation of the secretion of androgen-regulated proteins (ARPs) by stage VI–VIII seminiferous tubules from the adult rat (83) 219
McPhaul, M.J., see Deslypere, J.-P. (88) 15
McPhaul, M.J., see Lephart, E.D. (85) 205
McPhaul, M.J., see Roehrborn, C.G. (84) 1
Means, G.D., see Kilgore, M.W. (83) R9
Meidan, R., see Sakal, E. (90) 39
Melner, M.H., see Kaynard, A.H. (88) 67
Mendelson, C.R., see Kilgore, M.W. (83) R9
Meseguer, A. and Catterall, J.F.
Effects of pituitary hormones on the cell-specific expression of the KAP gene (89) 153
Messina, J.L., see Bortoff, K.D. (84) 39
Minucci, S., see Varriale, B. (84) R51
Minuto, F., see Barreca, A. (84) 119
Mitchell, A.M., Manley, S.W. and Mortimer, R.H.
Membrane transport of thyroid hormone in the human choriocarcinoma cell line, JAR (87) 139
Mitchell, R., see Johnson, M.S. (85) 183
Miyamoto, T., see Hu, R.M. (84) 209
Miyoshi, Y., see Sasaki, S. (84) 159
Mizuki, N. and Kasahara, M.
Mouse submandibular glands express an androgen-regulated transcript encoding an acidic epididymal glycoprotein-like molecule (89) 25
Mobbs, C.V., see Olazábal, U.E. (84) 175
Mockel, J., see Van Sande, J. (88) R1
Mogg, R.J. and Boockfor, F.R.
Single and dual hormone secretors in GH3 cultures respond differently to hypothalamic factors (87) 1
Møller-Pedersen, T., see Pedersen, S.B. (85) 13
Molnár, M., see Hertelendy, F. (83) 173
Montemurro, A., see Sesti, G. (86) 111
Montgomery, D.W., see O'Neal, K.D. (87) R19
Morelli, S., see Bellido, T. (90) 231
Moreno, M., see Lanni, A. (86) 143
Morera, A.M., see Sordoillet, C. (89) 163
Morris, H.R., see Singh, A. (83) 85
Morris, H.R., see Singh, A. (85) 165
Morris, P.L., see Fujisawa, M. (84) 79
Mortimer, R.H., see Mitchell, A.M. (87) 139
Mounier, F., see Gautron, J.P. (85) 99
Mowles, T.F., see Spicer, L.J. (83) 73
Moyle, W.R., see Campbell, R.K. (83) 195
Mukhopadhyay, A.K., see Schumacher, H. (90) 47
Mularoni, A., see Beck, L. (90) 95
Müller, D., see Schumacher, H. (90) 47
Mullikin-Kilpatrick, D., see Jonassen, J.A. (84) 55
Mulsant, P., see Hatey, F. (86) 205
Munck, A. and Náray-Fejes-Tóth, A.
The ups and downs of glucocorticoid physiology. Permissive and suppressive effects revisited (90) C1
Munro, D.S., see Van Sande, J. (88) R1
Murono, E.P., Washburn, A.L., Goforth, D.P. and Wu, N.
Evidence for basic fibroblast growth factor receptors in cultured immature Leydig cells (88) 39

Nadler, J., see Natarajan, R. (83) 57
Nakamura, H., see Sasaki, S. (84) 159
Naor, Z., see Lewy, H. (89) 1
Narasimhan, T.R., see Liu, H. (87) 19
Náray-Fejes-Tóth, A., see Munck, A. (90) C1
Nash, A.D., Brandon, M.R. and Bello, P.A.
Effects of tumour necrosis factor-α on growth hormone and interleukin 6 mRNA in ovine pituitary cells (84) R31
Natarajan, R. and Nadler, J.
Platelet-derived growth factor is a potent inhibitor of angiotensin II-induced aldosterone synthesis (83) 57
Nayfeh, S.N., see Kamikubo, K. (84) 219
Nayfeh, S.N., see Skinner, C.A. (90) 33
Nelson, S.E., Gibori, G. and Hunzicker-Dunn, M.
The cAMP-dependent signalling cascade in the two luteal cell types of the pregnant rat corpus luteum (85) 195
Nemere, I., Opperman, L.A., Ross, F.P. and Norman, A.W.
Noncytoplasmic and filamentous appearance of calbindin-D_{28k} and tubulin in double, indirect immunofluorescent staining of embryonic chick tissue (86) 83
Ness, J.M. and Kasson, B.G.
Gonadotropin regulation of c-fos and c-jun

messenger ribonucleic acids in cultured rat granulosa cells (90) 17
Nicholson, H., see Ivell, R. (89) 59
Nicollier, M., see Beck, L. (90) 95
Nieschlag, E., Behre, H.M., Weinbauer, G.F., Gudermann, T., Simoni, M., Spiteri-Grech, J. and Cooper, T.G.
Report of the 7th European Workshop on Molecular and Cellular Endocrinology of the Testis (87) R25
Nieschlag, E., see Kliesch, S. (84) R45
Niles, L., see Ying, S.-W. (85) 53
Norman, A.W., see Maiyar, A.C. (84) 99
Norman, A.W., see Nemere, I. (86) 83
Norstedt, G., see Levinovitz, A. (89) 105
Nugent, N.P., see Kelton, C.A. (89) 141
Nussey, S.S., see Harfst, E. (83) 117
Nyman, T., see Pekonen, F. (84) 203

Okano, H.J., Pfaff, D.W. and Gibbs, R.B.
Role of local environmental factors in determining tissue-specific effects of estrogen: examination of uterine tissues transplanted to brain (87) 179
Okazaki, T., see Shuto, Y. (90) 111
Oke, B.O., Suarez-Quian, C.A., Riond, J., Ferrara, P. and Papadopoulos, V.
Cell surface localization of the peripheral-type benzodiazepine receptor (PBR) in adrenal cortex (87) R1
Olazábal, U.E., Pfaff, D.W. and Mobbs, C.V.
Estrogenic regulation of heat shock protein 90 kDa in the rat ventromedial hypothalamus and uterus (84) 175
Olichon-Berthe, C., Van Obberghen, E. and Le Marchand-Brustel, Y.
Effect of cold acclimation on the expression of glucose transporter Glut 4 (89) 11
Ollivier-Bousquet, M., Radvanyi, F. and Bon, C.
Crotoxin, a phospholipase A_2 neurotoxin from snake venom, interacts with epithelial mammary cells, is internalized and induces secretion (84) 155
O'Neal, K.D., Montgomery, D.W., Truong, T.M. and Yu-Lee, L.-y.
Prolactin gene expression in human thymocytes (87) R19
Opperman, L.A., see Nemere, I. (86) 83
Ordener, C., see Pellerin, I. (90) R17
Ordener, C., see Vuillermoz, C. (87) R11
Orly, J., see Van Haren, L. (87) 57
Ottobre, J.S., see Jones, L.S. (85) 33
Overton, S.A., see Kelton, C.A. (89) 141

Padilla, C.A., Martínez-Galisteo, E., López-Barea, J., Holmgren, A. and Bárcena, J.A.
Immunolocalization of thioredoxin and glutaredoxin in mammalian hypophysis (85) 1
Paigen, K., see Jaussi, R. (86) 187
Pakala, R., see Sato, H. (83) 239
Pakarinen, P., see Huhtaniemi, I.T. (88) 55
Pang, S.C., see Roy, R.N. (86) R1
Papadopoulos, V., see Brown, A.S. (83) 1
Papadopoulos, V., see Oke, B.O. (87) R1
Parkinson, D.
Carboxypeptidase H in bovine pituitary gland: soluble forms are not processed at the C-terminus (86) 221
Parvinen, M., see Kliesch, S. (84) R45
Pate, J.L., see Jones, L.S. (85) 33
Patel, K.V. and Schrey, M.P.
Evidence for a role for protein kinase C in the modulation of bombesin-activated cellular signalling in human breast cancer cells (85) 215
Patel, S.R., see Singh, A. (83) 85
Pattou, E., see Gautron, J.P. (85) 99
Pedersen, S.B., Børglum, J.D., Møller-Pedersen, T. and Richelsen, B.
Effects of in vivo estrogen treatment on adipose tissue metabolism and nuclear estrogen receptor binding in isolated rat adipocytes (85) 13
Pedersen, S.B., Flyvbjerg, A., Grønbæk, H. and Richelsen, B.
Increased ornithine decarboxylase activity in kidneys undergoing hypertrophy in experimental diabetes (86) 67
Peeters, B., see De Vos, P. (90) R11
Pekhletsky, R.I., Chernov, B.K. and Rubtsov, P.M.
Variants of the 5′-untranslated sequence of human growth hormone receptor mRNA (90) 103
Pekonen, F., Saijonmaa, O., Nyman, T. and Fyhrquist, F.
Human endometrial adenocarcinoma cells express endothelin-1 (84) 203
Pellerin, I., Vuillermoz, C., Jouvenot, M., Ordener, C., Royez, M. and Adessi, G.L.
Identification and characterization of an early estrogen-regulated RNA in cultured guinea-pig endometrial cells (90) R17
Pellerin, I., see Vuillermoz, C. (87) R11
Penschow, J.D. and Coghlan, J.P.
Sites of glandular kallikrein gene expression in fetal mice (88) 23
Penttilä, T.-L., see Kliesch, S. (84) R45
Pepe, M., see Ulisse, S. (87) 131
Perrotti, N., see Veneziani, B.M. (86) 11
Peters, A.H.F.M., see Blok, L.J. (88) 153
Petit, A., Gallo-Payet, N., Bellabarba, D., Lehoux, J.-G. and Bélisle, S.
The modulation of placental lactogen release by opioids: a role for extracellular calcium (90) 165
Pfaff, D.W., see Okano, H.J. (87) 179
Pfaff, D.W., see Olazábal, U.E. (84) 175
Pickering, B., see Ivell, R. (89) 59
Pickering, D., see Ying, S.-W. (85) 53
Piechaczyk, M., see Mallet, B. (88) 89
Pierre, S., Jolivet, G., Devinoy, E., Théron, M.C., Maliénou-N'Gassa, R., Puissant, C. and Houdebine, L.M.
A distal region enhances the prolactin induced promoter activity of the rabbit αs1-casein gene (87) 147
Pietilä, E.M., see Aatsinki, J.T. (84) 127
Pineau, C., see Grima, J. (89) 127
Pitot, H.C., see Su, Y. (90) 141
Plehn, R.J., see Wahl, M.A. (90) 117
Plevrakis, I., see Guillou, M.D. (83) 233
Poch, A., see McArdle, C.A. (87) 95
Ponce, G., see Gautron, J.P. (85) 99
Pope, L., see Black, M.A. (84) 145
Popko, B., see Skinner, C.A. (90) 33
Porquet, D., see Rebut-Bonneton, C. (85) 65
Porter, D.G., see Lobb, D.K. (89) R5
Porter, T.E., Ellerkmann, E. and Frawley, L.S.
Acute recruitment of prolactin-secreting cells is regulated posttranscriptionally (84) 23
Portha, B., see Giroix, M.-H. (83) 95
Porto, C.S., Abreu, L.C., Gunsalus, G.L. and Bardin, C.W.
Binding of sex-hormone-binding globulin (SHBG) to testicular membranes and solubilized receptors (89) 33
Powers, C.A.
Anterior pituitary glandular kallikrein: a putative prolactin processing protease (90) C15
Prahl, J.M., see Wiese, R.J. (90) 197
Price, D.A., see Lin, Y.-W.P. (85) 127
Prieto, J.C., see Colás, B. (88) 111
Prunet, P., see Le Goff, P. (90) 133
Puchner, M.J.A., Lüdecke, D.K., Knappe, U.J., Saeger, W. and Herrmann, H.-D.
Autoradiographic demonstration of in vivo ^{125}I-growth hormone-releasing hormone (GHRH) binding by human GH-secreting pituitary adenomas transplanted on athymic nude mice (85) 157
Puett, D., see Huang, J. (90) 211
Puissant, C., see Pierre, S. (87) 147

Radvanyi, F., see Ollivier-Bousquet, M. (84) 155
Rajaniemi, H.J., see Aatsinki, J.T. (84) 127
Rajfer, J., see González-Cadavid, N.F. (90) 219
Rapoport, B., Kaufman, K.D. and Chazenbalk, G.D.
Cloning of a member of the arrestin family from a human thyroid cDNA library (84) R39
Rapoport, B., see Finke, R. (84) 73
Rasmussen, H., see Bollag, W.B. (86) 93
Rasolonjanahary, R., see Gautron, J.P. (85) 99
Rasschaert, J., see Giroix, M.-H. (83) 95
Rastad, J., see Ridefelt, P. (83) 211
Raue, F., see Zink, A. (86) 213
Ravid, A., see Koren, R. (83) C9
Rebut-Bonneton, C., Segond, N., Demignon, J., Porquet, D. and Evain-Brion, D.
Effects of calcitonin on human trophoblastic cells in culture: absence of autocrine control (85) 65
Reed, M.J., see Singh, A. (83) 85
Reed, M.J., see Singh, A. (85) 165
Reichert, Jr., L.E., see Dattatreyamurty, B. (87) 9
Reichert, Jr., L.E., see Grasso, P. (87) 49
Reiter, E., Bonnet, P., Sente, B., Dombrowicz, D., De Leval, J., Closset, J. and Hennen, G.

Growth hormone and prolactin stimulate androgen receptor, insulin-like growth factor-I (IGF-I) and IGF-I receptor levels in the prostate of immature rats (88) 77
Rhodes, C., see Wentworth, B.M. (86) 177
Ribot, G., see Bouamoud, N. (88) 143
Rice, E.J., see Kasik, J.W. (90) 239
Richelsen, B., Børglum, J.D. and Sørensen, S.S.
Biosynthetic capacity and regulatory aspects of prostaglandin E_2 formation in adipocytes (85) 73
Richelsen, B., see Pedersen, S.B. (85) 13
Richelsen, B., see Pedersen, S.B. (86) 67
Ricquier, D., see Champigny, O. (86) 73
Ridefelt, P., Hellman, P., Wallfelt, C., Åkerström, G., Rastad, J. and Gylfe, E.
Neomycin interacts with Ca^{2+} sensing of normal and adenomatous parathyroid cells (83) 211
Rigaudière, N., Ghyselinck, N.B., Faure, J. and Dufaure, J.P.
Regulation of the epididymal glutathione peroxidase-like protein in the mouse: dependence upon androgens and testicular factors (89) 67
Rillema, J.A., see Fan, G. (83) 51
Rink, T.J., see Young, A.A. (84) R1
Riond, J., see Oke, B.O. (87) R1
Risbridger, G.P. and Hedger, M.P.
Adult rat Leydig cell cultures: minimum requirements for maintenance of luteinizing hormone responsiveness and testosterone production (83) 125
Ritvos, O. and Voutilainen, R.
Regulation of the cholesterol side-chain cleavage cytochrome *P*-450 and adrenodoxin mRNAs in cultured choriocarcinoma cells (84) 195
Robinson, I.C.A.F., see Levinovitz, A. (89) 105
Robinson, P.J., see Liu, J.-P. (87) 35
Rodríguez, J.A., see González-Cadavid, N.F. (90) 219
Rodway, M.R., Steele, G.L., Baimbridge, K.G. and Leung, P.C.K.
Prostaglandin $F_{2\alpha}$ and gonadotropin-releasing hormone increase intracellular free calcium in rat granulosa cells (84) 137
Roehrborn, C.G., Zoppi, S., Gruber, J.A., Wilson, C.M. and McPhaul, M.J.
Expression and characterization of full-length and partial human androgen receptor fusion proteins. Implications for the production and applications of soluble steroid receptors in *Escherichia coli* (84) 1
Rohrer, D.K., see Sayen, M.R. (87) 87
Rombauts, W., see De Vos, P. (90) R11
Rommerts, F.F.G., see De Winter, J.P. (83) 105
Rommerts, F.F.G., see Van Haren, L. (87) 57
Roseau, S., see Ammar, A. (86) 193
Rosenthal, J.L., see Kelton, C.A. (89) 141
Roskelley, C.D., Baimbridge, K.G., Leung, P.C.K. and Auersperg, N.
Divergent differentiation of rat adrenocortical cells is associated with an interruption of angiotensin II-mediated signal transduction (89) 79
Ross, F.P., see Nemere, I. (86) 83
Rowlands, C., see Liu, H. (87) 19
Roy, R.N., Pang, S.C. and Flynn, T.G.
Expression of natriuretic peptide genes in cardiac tissues of hypertensive rats (86) R1
Royez, M., see Pellerin, I. (90) R17
Royez, M., see Vuillermoz, C. (87) R11
Rozen, R., see Fagan, R.J. (90) 171
Rubtsov, P.M., see Pekhletsky, R.I. (90) 103
Ruf, J., see Mallet, B. (88) 89
Rumi, C., see Ferrandina, G. (83) 183
Rupnow, B.A., see Lin, Y.-W.P. (85) 127

Saeger, W., see Puchner, M.J.A. (85) 157
Safe, S., see Liu, H. (87) 19
Saijonmaa, O., see Pekonen, F. (84) 203
Sairam, M.R. and Jiang, L.G.
Comparison of the biological and immunological properties of glycosylation deficient human chorionic gonadotropin variants produced by site directed mutagenesis and chemical deglycosylation (85) 227
Sakal, E., Gertler, A., Aflalo, L. and Meidan, R.
Characterization of insulin-like growth factor binding proteins secreted by cultured bovine theca and granulosa cells (90) 39
Sakurai, A., see Hu, R.M. (84) 209
Salbert, G., see Le Goff, P. (90) 133
Saligaut, C., see Le Goff, P. (90) 133
Salvatore, P., see Veneziani, B.M. (86) 11
Sánchez-Margalet, V., Lucas, M. and Goberna, R.
Pancreastatin increases cytosolic Ca^{2+} in insulin secreting RINm5F cells (88) 129
Sandler, S., Jansson, L. and Welsh, N.
Adaptive response in β-cell function in pancreatic islets isolated from partially pancreatectomized rats (86) 149
Sar, M., see Bellingham, D.L. (83) 153
Sasaki, S., Nakamura, H., Tagami, T., Miyoshi, Y., Tanaka, K. and Imura, H.
A point mutation of the T_3 receptor $\beta 1$ gene in a kindred of generalized resistance to thyroid hormone (84) 159
Sato, E., see Tanaka, T. (83) 65
Sato, H., Eby, J.E., Pakala, R. and Sirbasku, D.A.
Apotransferrins from several species promote thyroid hormone-dependent rat pituitary tumor cell growth in iron-restricted serum-free defined culture (83) 239
Sato, N., Wang, X. and Greer, M.A.
Protein kinase C modulates cell swelling-induced Ca^{2+} influx and prolactin secretion in GH_4C_1 cells (86) 137
Sato, N., see Wang, X. (83) 79
Sato, N., see Wang, X. (87) 157
Saunders, P.T.K., see Kliesch, S. (84) R45
Savona, C., see Sordoillet, C. (89) 163
Savoy, L.-A., see Singh, A. (85) 165
Sawhney, N., see Bond, J.A. (84) R15
Sayen, M.R., Rohrer, D.K. and Dillmann, W.H.
Thyroid hormone response of slow and fast sarcoplasmic reticulum Ca^{2+} ATPase mRNA in striated muscle (87) 87
Scambia, G., see Ferrandina, G. (83) 183
Scherübl, H., see Zink, A. (86) 213
Schiltz, E., see Fiebig, S. (84) R27
Schmitt-Wrede, H.-P., see Fiebig, S. (84) R27
Schnetzler, B., see Wentworth, B.M. (86) 177
Schomerus, E., see McArdle, C.A. (87) 95
Schrey, M.P., see Patel, K.V. (85) 215
Schroedter, I.C., see Sterba, T. (90) 179
Schuler, L.A., see Scott, P. (89) 47
Schumacher, H., Müller, D. and Mukhopadhyay, A.K.
Stimulation of testosterone production by atrial natriuretic peptide in isolated mouse Leydig cells results from a promiscuous activation of cyclic AMP-dependent protein kinase by cyclic GMP (90) 47
Schwartz, J.
The forest, the trees and the anterior pituitary (85) C45
Schwarz, L.A., Stevens, A.M., Hrachovy, J.A. and Yu-Lee, L.-y.
Interferon regulatory factor-1 is inducible by prolactin, interleukin-2 and concanavalin A in T cells (86) 103
Schweickhardt, R.L., see Kelton, C.A. (89) 141
Scott, P., Kessler, M.A. and Schuler, L.A.
Molecular cloning of the bovine prolactin receptor and distribution of prolactin and growth hormone receptor transcripts in fetal and utero-placental tissues (89) 47
Segal-Abramson, T., Giat, J., Levy, J. and Sharoni, Y.
Guanine nucleotide modulation of high affinity gonadotropin-releasing hormone receptors in rat mammary tumors (85) 109
Segond, N., see Rebut-Bonneton, C. (85) 65
Sellar, R.E., see Eidne, K.A. (90) R5
Sener, A., see Giroix, M.-H. (83) 95
Sente, B., see Reiter, E. (88) 77
Seppala, M., see Mason, H.D. (89) R1
Serino, I., see Varriale, B. (84) R51
Sesti, G., Marini, M.A., Briata, P., Tullio, A.N., Montemurro, A., Borboni, P., De Pirro, R., Gherzi, R. and Lauro, R.
Androgens increase insulin receptor mRNA levels, insulin binding, and insulin responsiveness in HEp-2 larynx carcinoma cells (86) 111
Shalgi, R., see Ben-Yosef, D. (88) 135
Sharoni, Y., see Segal-Abramson, T. (85) 109
Sharpe, R.M., see McKinnell, C. (83) 219
Sheppard, M.C., see Stewart, P.M. (83) C13
Shimasaki, S., see Inouye, S. (90) 1
Shoyab, M., see Brown, A.S. (83) 1
Shum, L.W., see Khan, S.A. (89) 97
Shuto, Y., Okazaki, T. and Wakabayashi, I.
Transcriptional activity of a mutant thyroid hormone receptor β in a family with generalized resistance to thyroid hormone (90) 111
Simboli-Campbell, M., Gagnon, A.M., Franks, D.J. and Welsh, J.E.
TPA decreases $1,25(OH)_2D_3$ binding and

calbindin D-28K in renal (MDBK) cells (83) 143
Simoni, M., see Nieschlag, E. (87) R25
Simonides, W.S., see Van der Linden, G.C. (90) 125
Simpson, B.J.B., Hedger, M.P. and De Kretser, D.M.
Characterisation of adult Sertoli cell cultures from cryptorchid rats: inhibin secretion in response to follicle-stimulating hormone stimulation (87) 167
Simpson, E.R., see Kilgore, M.W. (83) R9
Simpson, E.R., see Lephart, E.D. (85) 205
Singh, A., Blench, I., Morris, H.R., Savoy, L.-A. and Reed, M.J.
Synergistic interaction of growth factors and albumin in regulating estradiol synthesis in breast cancer cells (85) 165
Singh, A., Ghilchik, M.W., Patel, S.R., Blench, I., Morris, H.R. and Reed, M.J.
Identification of albumin in breast tumor cytosol as a factor involved in the stimulation of estradiol 17β-hydroxysteroid dehydrogenase (reductive) activity (83) 85
Sirbasku, D.A., see Sato, H. (83) 239
Skinner, C.A., Kelly, D., Kao, L.-R., Nayfeh, S.N., Popko, B. and Chae, C.-B.
Thyroid-specific and hormone-dependent expression of rat thyroglobulin promoter fused with bacterial chloramphenicol acetyltransferase gene in transgenic mice (90) 33
Skurat, R.M., see Zajac, J.D. (87) 69
Sluyser, M. and Wittliff, J.L.
Influence of estrogen receptor variants in mammary carcinomas on the prognostic reliability of the receptor assay (85) 83
Smith, W.A., Varghese, A.H. and Lou, K.J.
Developmental changes in cyclic AMP-dependent protein kinase associated with increased secretory capacity of *Manduca sexta* prothoracic glands (90) 187
Sokolovsky, M., see Koren, D. (90) 87
Sokolovsky, M., see Lewy, H. (89) 1
Sordoillet, C., Savona, C., Chauvin, M.A., De Peretti, E., Feige, J.J., Morera, A.M. and Benahmed, M.
Basic fibroblast growth factor enhances testosterone secretion in cultured porcine Leydig cells: site(s) of action (89) 163
Sørensen, S.S., see Richelsen, B. (85) 73
Spica Romano, V., see Ferrandina, G. (83) 183
Spicer, L.J., Langhout, D.J., Alpizar, E., Williams, S.K., Campbell, R.M., Mowles, T.F. and Enright, W.J.
Effects of growth hormone-releasing factor and vasoactive intestinal peptide on proliferation and steroidogenesis of bovine granulosa cells (83) 73
Spiteri-Grech, J., see Nieschlag, E. (87) R25
Sprengel, R., see Huhtaniemi, I.T. (88) 55
Šrenkelová, G., see Kolena, J. (83) 201
Stangier, J., see Fiebig, S. (84) R27
Steele, G.L., see Rodway, M.R. (84) 137
Sterba, T., Wagner, G.F., Schroedter, I.C. and Friesen, H.G.
In situ detection and distribution of stanniocalcin mRNA in the corpuscles of Stannius of sockeye salmon, *Oncorhynchus nerka* (90) 179
Stevens, A.M., see Schwarz, L.A. (86) 103
Stewart, P.M. and Sheppard, M.C.
Novel aspects of hormone action: intracellular ligand supply and its control by a series of tissue specific enzymes (83) C13
Stewen, P., see Törnquist, K. (86) 21
Stocco, D.M. and Khan, S.A.
Effects of steroidogenesis inducing protein (SIP) on steroid production in MA-10 mouse Leydig tumor cells: utilization of a non-cAMP second messenger pathway (84) 185
Sturm, G., see Chari, S. (87) 115
Su, Y. and Pitot, H.C.
Identification of regions in the rat serine dehydratase gene responsible for regulation by cyclic AMP alone and in the presence of glucocorticoids (90) 141
Suarez-Quian, C.A., see Oke, B.O. (87) R1
Sun, W., see Wierman, M.E. (86) 1
Sussenbach, J.S., see Van Dijk, M.A. (88) 175
Swerdloff, R.S., see González-Cadavid, N.F. (90) 219

Tagami, T., see Sasaki, S. (84) 159
Takeya, T., see Tanaka, T. (83) 65
Tanaka, K., see Sasaki, S. (84) 159
Tanaka, T., Andoh, N., Takeya, T. and Sato, E.
Differential screening of ovarian cDNA libraries detected the expression of the porcine collagenase inhibitor gene in functional corpora lutea (83) 65
Tandler, A., see Funkenstein, B. (87) R7
Targovnik, H.M., Cochaux, P., Corach, D. and Vassart, G.
Identification of a minor Tg mRNA transcript in RNA from normal and goitrous thyroids (84) R23
Tata, J.R., see Machuca, I. (87) 105
Taylor, A.H., see Harfst, E. (83) 117
Taylor, P.L., see Eidne, K.A. (90) R5
Taylor, R.G., see Albiston, A.L. (83) R17
Teerds, K., see Khan, S.A. (89) 97
Teerds, K.J. and Dorrington, J.H.
Immunohistochemical localization of transforming growth factor-β_1 and -β_2 during follicular development in the adult rat ovary (84) R7
Tekpetey, F.R., see Engelhardt, H. (85) 117
Themmen, A.P.N., see Blok, L.J. (88) 153
Themmen, A.P.N., see De Winter, J.P. (83) R1
Théron, M.C., see Pierre, S. (87) 147
Thomas, M., see Wiese, R.J. (90) 197
Thomson, F.J., see Johnson, M.S. (85) 183
Thull, D.L., see Emanuel, R.L. (86) 29
Timmerman, M.A., see De Winter, J.P. (83) 105
Timmerman, M.A., see Klaij, I.A. (85) 237
Tiong, T.S. and Herington, A.C.
Ontogeny of messenger RNA for the rat growth hormone receptor and serum binding protein (83) 133
Tobe, S.S., see Cusson, M. (89) 121
Tomlinson, S., see Best, L. (86) 49
Törnquist, K., Stewen, P. and Lamberg-Allardt, C.
Regulatory effect of 1,25-dihydroxycholecalciferol on calcium fluxes in thyroid FRTL-5 cells (86) 21
Tramontano, D., see Veneziani, B.M. (86) 11
Trapman, J., see Blok, L.J. (88) 153
Trebilcock, R., see Best, L. (86) 49
Truong, T.M., see O'Neal, K.D. (87) R19
Tullio, A.N., see Sesti, G. (86) 111

Ujihara, M., see Huang, J. (90) 211
Ulisse, S., Jannini, E.A., Pepe, M., De Matteis, S. and D'Armiento, M.
Thyroid hormone stimulates glucose transport and GLUT1 mRNA in rat Sertoli cells (87) 131

Vakharia, D.D., Bryant, S.H. and Dias, J.A.
Topographic analysis of human follicle-stimulating hormone-β using anti-peptide antisera (85) 89
Valencia, A.M., see Colás, B. (88) 111
Valotaire, Y., see Le Goff, P. (90) 133
Van den Berg, S., see Levinovitz, A. (89) 105
Van der Linden, G.C., Simonides, W.S. and Van Hardeveld, C.
Thyroid hormone regulates Ca^{2+}-ATPase mRNA levels of sarcoplasmic reticulum during neonatal development of fast skeletal muscle (90) 125
Vanderstichele, H.M.J., see De Winter, J.P. (83) 105
Van Dijck, P., see Marivoet, S. (88) 165
Van Dijk, M.A., Holthuizen, P.E. and Sussenbach, J.S.
Elements required for activation of the major promoter of the human insulin-like growth factor II gene (88) 175
Van Hardeveld, C., see Van der Linden, G.C. (90) 125
Van Haren, L., Flinterman, J.F., Orly, J. and Rommerts, F.F.G.
Luteinizing hormone induction of the cholesterol side-chain cleavage enzyme in cultured immature rat Leydig cells: no role of insulin-like growth factor-I? (87) 57
Van Obberghen, E., see Olichon-Berthe, C. (89) 11
Van Renterghem, P., see Donda, A. (90) R23
Van Sande, J., Lejeune, C., Ludgate, M., Munro, D.S., Vassart, G., Dumont, J.E. and Mockel, J.
Thyroid stimulating immunoglobulins, like thyrotropin activate both the cyclic AMP and the PIP_2 cascades in CHO cells expressing the TSH receptor (88) R1
Van Sande, J., see Esteves, R.Z. (90) R1
Varghese, A.H., see Smith, W.A. (90) 187
Varriale, B., Chieffi-Baccari, G., D'Istria, M., Di Matteo, L., Minucci, S., Serino, I. and Chieffi, G.

Testosterone induction of poly(A)$^+$-RNA synthesis and [^{35}S]methionine incorporation into proteins of *Rana esculenta* Harderian gland (84) R51
Vassart, G., see Christophe-Hobertus, C. (88) 31
Vassart, G., see Donda, A. (90) R23
Vassart, G., see Targovnik, H.M. (84) R23
Vassart, G., see Van Sande, J. (88) R1
Veneziani, B.M., Di Marino, C., Salvatore, P., Villone, G., Perrotti, N., Frunzio, R. and Tramontano, D.
Transfected insulin-like growth factor II modulates the mitogenic response of rat thyrocytes in culture (86) 11
Verhoeven, G., see De Vos, P. (90) R11
Verhoeven, G., see Marivoet, S. (88) 165
Vernet, D., see González-Cadavid, N.F. (90) 219
Verspohl, E.J., see Wahl, M.A. (90) 117
Villa-Komaroff, L., see Wentworth, B.M. (86) 177
Villone, G., see Veneziani, B.M. (86) 11
Voci, A., see Barreca, A. (84) 119
Vonderhaar, B.K., see Banerjee, R. (90) 61
Voutilainen, R., see Ritvos, O. (84) 195
Vuillermoz, C., Jouvenot, M., Pellerin, I., Ordener, C., Royez, M. and Adessi, G.L.
Transfected endometrial cultured cells: a system to study gene regulation by estrogens (87) R11
Vuillermoz, C., see Pellerin, I. (90) R17

Wagner, G.F., Dimattia, G.E., Davie, J.R., Copp, D.H. and Friesen, H.G.
Molecular cloning and cDNA sequence analysis of coho salmon stanniocalcin (90) 7
Wagner, G.F., see Sterba, T. (90) 179
Wahl, M.A., Plehn, R.J., Landsbeck, E.A., Verspohl, E.J. and Ammon, H.P.T.
Are ionic fluxes of pancreatic beta cells a target for gastric inhibitory polypeptide? (90) 117
Wakabayashi, I., see Shuto, Y. (90) 111
Walker, P., see Black, M.A. (84) 145
Walker, S.W., see Bird, I.M. (83) 29
Wallace, R.A., see Lin, Y.-W.P. (85) 127
Waller, M.S., see Eyster, K.M. (86) 125
Wallfelt, C., see Ridefelt, P. (83) 211
Wands, G.D., see Kelton, C.A. (89) 141
Wang, M.-W., see Young, A.A. (84) R1
Wang, X., Sato, N. and Greer, M.A.
Lidocaine inhibits prolactin secretion in GH_4C_1 cells by blocking calcium influx (87) 157
Wang, X., Sato, N. and Greer, M.A.
Medium hyperosmolarity inhibits prolactin secretion induced by depolarizing K^+ in GH_4C_1 cells by blocking Ca^{2+} influx (83) 79
Wang, X., see Inukai, T. (87) 29
Wang, X., see Sato, N. (86) 137
Washburn, A.L., see Murono, E.P. (88) 39
Waterfield, M.D., see Harfst, E. (83) 117
Watson, G., see Jaussi, R. (86) 187
Wehling, M., Eisen, C. and Christ, M.
Aldosterone-specific membrane receptors and rapid non-genomic actions of mineralocorticoids (90) C5
Wei, S.J., see Lin, M.T. (84) 47
Weinbauer, G.F., see Nieschlag, E. (87) R25
Weiner, R.S. and Dias, J.A.
Identification of assembled epitopes on the α-subunit of human follicle stimulating hormone (85) 41
Weizman, R., see Gavish, M. (88) 1
Welsh, J.E., see Simboli-Campbell, M. (83) 143
Welsh, N., see Sandler, S. (86) 149
Wendell, K., see Krozowski, Z. (85) 21
Wentworth, B.M., Rhodes, C., Schnetzler, B., Gross, D.J., Halban, P.A. and Villa-Komaroff, L.
The ratio of mouse insulin I:insulin II does not reflect that of the corresponding preproinsulin mRNAs (86) 177
Wierman, M.E., Kepa, J.K., Sun, W., Gordon, D.F. and Wood, W.M.
Estrogen negatively regulates rat gonadotropin releasing hormone (rGnRH) promoter activity in transfected placental cells (86) 1
Wiese, R.J., Goto, H., Prahl, J.M., Marx, S.J., Thomas, M., Al-Aqeel, A. and DeLuca, H.F.
Vitamin D-dependency rickets type II: truncated vitamin D receptor in three kindreds (90) 197
Williams, B.C., see Bird, I.M. (83) 29
Williams, E.D., see Bond, J.A. (84) R15
Williams, S.K., see Spicer, L.J. (83) 73
Willis, D., see Mason, H.D. (89) R1
Wilson, C.M., see Roehrborn, C.G. (84) 1
Wilson, J.D., see Deslypere, J.-P. (88) 15
Wing, L.Y.C., see Lin, M.T. (84) 47
Wittliff, J.L., see Sluyser, M. (85) 83
Wolf, D.M., see Jiang, S.-Y. (90) 77
Wolfe, M.M., Chang, R., Mailliard, M.E. and Karnik, P.S.
The effects of peptide histidine isoleucine on antral gastrin and somatostatin (84) 89
Wood, W.M., see Wierman, M.E. (86) 1
Wu, N., see Murono, E.P. (88) 39
Wunderlich, F., see Fiebig, S. (84) R27
Wynford-Thomas, D., see Bond, J.A. (84) R15

Xia, H., see Huang, J. (90) 211
Xue-Chen, G., see Cusson, M. (89) 121

Yagi, K.J., see Cusson, M. (89) 121
Yaron, Z., see Levavi-Sivan, B. (85) 175
Ye, M., see Ying, S.-W. (85) 53
Ying, S.-W., Niles, L., Pickering, D. and Ye, M.
Involvement of multiple sulfhydryl groups in melatonin signal transduction in chick brain (85) 53
Yingling, J.M., see Jiang, S.-Y. (90) 77
Ymer, S.I. and Herington, A.C.
Developmental expression of the growth hormone receptor gene in rabbit tissues (83) 39
Yoshida, H., see Huang, J. (90) 211
Young, A.A., Carlo, P., Rink, T.J. and Wang, M.-W.
$^{8-37}$hCGRP, an amylin receptor antagonist, enhances the insulin response and perturbs the glucose response to infused arginine in anesthetized rats (84) R1
Young, M., see Deslypere, J.-P. (88) 15
Yu-Lee, L.-y., see O'Neal, K.D. (87) R19
Yu-Lee, L.-y., see Schwarz, L.A. (86) 103

Zajac, J.D., Kearns, A.K., Skurat, R.M., Kronenberg, H.M. and Bringhurst, F.R.
Regulation of gene transcription and proliferation by parathyroid hormone is blocked in mutant osteoblastic cells resistant to cyclic AMP (87) 69
Ziegler, R., see Zink, A. (86) 213
Zink, A., Scherübl, H., Kliemann, D., Höflich, M., Ziegler, R. and Raue, F.
Inhibitory effect of somatostatin on cAMP accumulation and calcitonin secretion in C-cells: involvement of pertussis toxin-sensitive G-proteins (86) 213
Zoppi, S., see Roehrborn, C.G. (84) 1